Issue: 912AGR

HEAT & SOUND INSULATION AUTO ELECTRICAL BRAKES COOLING ENGINE & TRANSMISSION GENERAL TOOLS PAINT & BODY SHOP SUSPENSION AEROSOLS SURFACE CARE & RUST PREVENTION FUEL FILTRATION VEHICLE SAFETY SPECIALISED INDUSTRIAL

## **AGRIEMACH Ltd**

'Wayfarers' Old Domewood Copthorne Crawley RH10 3HD

**Tel** 01342 713743 **Fax** 01342 719181

www.agriemach.com















Supplier of Engine Protection and Performance DESIGN ENGINEERING PRODUCTS





www.agriemach.com

## WELCOME TO AGRIEMACH'S LATEST CATALOGUE

We are delighted to present to you our latest catalogue with many new and exciting products that we hope you will find interesting and useful.

We have been market leaders in heat and sound control products for a number of years and many leading equipment and vehicle manufacturers including the aerospace industry are amongst our valued customers.

Our industrial range of products are of the highest quality, as well as being the most technically advanced. We are proud to include as our clients, JCB, Johnston Sweepers, Powerscreen, Hatz, Volvo Construction and many more too numerous to mention.

We hope you find this catalogue interesting, if you need any assistance or wish to place an order over the telephone, just ring us on (01342) 713743 for friendly helpful assistance.

Our Website and online shop are also at your disposal and is an ideal source to find the very latest product lines available.

We look forward to being of service to you.

George Kallmann Managing Director

P.S. If there is a product you cannot find in our catalogue that you were looking for; then please call us and we will endeavour to track it down for you.

## CONTENTS

HEAT & SOUND INSULATION	4-14
AUTO ELECTRICAL	15-25
BRAKES	26-29
COOLING	30-31
ENGINE & TRANSMISSION	32-46
GENERAL TOOLS	47-63
PAINT & BODY SHOP	64-71
SUSPENSION	72-74
AEROSOLS	75
SURFACE CARE & RUST PREVENTION	76-78
FUEL FILTRATION	79-83
VEHICLE SAFETY PRIVATE & COMMERCIAL	84-85
SPECIALISED INDUSTRIAL	86-90



#### AI UMINISED HEAT BARRIER

One of our most versatile products is this ultra high temperature protection blanket. Manufactured from flexible, high temperature resistant materials it makes an excellent choice for any application requiring protection from high conductive heat. Most effective in a temperature range of 350 -1200° F. The highly reflective metallic surface withstands radiant temperatures exceeding 2000° F.

T14001 <sup>1</sup>/<sub>2</sub> m T14001

£27.73 £55.45

Other sizes available on request.

500mm X 1000mm

1000mm X 1000mm

#### THERMO-GUARD FR

Thermo-Guard offers the best in heat and sound insulation. This lightweight, durable shield reduces sound, absorbs vibration, protects from radiant heat and provides an extra layer of insulated padding. The product features 100% synthetic fibre felt that provides sound and comfort control and a high-tech foil heat barrier that blocks more than 90% of radiant heat.



Thermo-Guard is easy to apply, as it can be trimmed to fit anywhere from aircraft to automobiles and even in the home.

Available in various sizes, it should be applied with Agriemach's new heavy duty adhesive.

T14130	ONE-SIDE FOIL 24"X48"	£
T14120	ONE-SIDE FOIL 48"X72"	£
T14125	TWO-SIDE FOIL 48"X72"	£6

15.50 54.00 64.90



Insulating turbo chargers to protect and improve performance is the job of our Turbo Insulating Kit. On the performance side the Turbo Kit keeps the turbo at peak performance and virtually eliminates turbo-lag. Radiant heat is also contained, making for a cool under-bonnet environment. The complete kit fits a wide variety of turbines. From heavy duty truck applications, to the smallest automotive installation, the cut to fit kit comes with plenty of material to cover all turbos. Supplied with complete instructions on the use and measurements necessary for an easy installation of the material.

#### EXHAUST WRAP HIGH TEMPERATURE PAINT

Preserves and protects exhaust insulating wrap after it has been installed. Extra resins and binders toughen the surface and help extend the life of the wrap by protecting it from friction and seals the pores to minimise the penetration of liquids and reduce the harmful effect of spills.

A range of quick drying very high temperature paints suitable for use on exhaust manifolds, engine blocks, brake drums, brake calipers and pipes. Resists temperatures up to 650°C/1200°F.

T12002         SILVER HIGH TEMP PAINT - 400 ML         £6.50	T12001	BLACK HIGH TEMP PAINT - 400 ML	£6.50
	T12002	SILVER HIGH TEMP PAINT - 400 ML	£6.50
TIS331         WHITE HIGH TEMP PAINT - 400 ML         £6.50	TIS331	WHITE HIGH TEMP PAINT - 400 ML	£6.50
TIS332         RED HIGH TEMP PAINT - 400 ML         £6.50	TIS332	RED HIGH TEMP PAINT - 400 ML	£6.50
TIS333 BLUE HIGH TEMP PAINT - 400 ML £6.50	TIS333	BLUE HIGH TEMP PAINT - 400 ML	£6.50



#### SPEED TAPE

TD060101	BLACK - 2" X 90 FT	£4.60	_
TD060102	WHITE - 2" X 90FT	£4.60	THE BALL BUT DE
TD060103	RED - 2" X 90FT	£4.60	1000
TD060104	BLUE - 2" X 90FT	£4.60	
TD060105	YELLOW - 2" X 90FT	£4.60	
TD060106	PURPLE - 2" X 90FT	£4.60	States and States
TD060107	GREEN - 2" X 90FT	£4.60	
TD060108	ORANGE - 2" X 90FT	£4.60	
TD060202	CHECKER-BOARD - 2" X 45FT	£4.60	

Speed Tape has multiple uses including race applications, temporary damage repairs, taping body seams to name a few. Speed Tape tears straight and easy every time and is available in eight colours as well as the popular checkered board. 2"x 90' Rolls (except Checkerboard 2"x 45')

# HEAVY DUTY ADHESIVE

主

#### 1 TR210 | £4.50

Easy to use, re-positionable glue which is compatible for use on most surfaces. Performs well in higher temperature applications (upto a temperature of 250°C).

#### BATTERY HEAT BARRIER KIT

The world's only acid neutralising Battery Wrap deflects 90% of radiant heat, traps and neutralises battery acid and protects against corrosion. Used extensively in military applications, the kit is easy to install, safe to handle and best of all, it is inexpensive to fit. Size: 8" x 40". (Also available in custom sizes)

£26.30 T13200



#### HEAT & SOUND INSULATION

COOL-IT MAT	-	
T14100 T14110	24" x 48" 48" x 48"	£29.80 £60.70
T14100-50	24" x 50ft	£353.00

The secret of the Cool-It Mat is an innovative combination of heat and sound control technologies, a layering of materials possessing different protective characteristics. The mat is composed of a resin-bonded silica blanket insulation sandwiched between a mylar facing on one side and a foil facing on the other. The foil reflects the heat away from surfaces or areas which need to be kept cool or protected from heat damage. The Mylar facing is oriented to the heat source when a lower heat tolerance is required. The middle layer, or spun glass blanket, assists in heat dissipation and is the main sound insulator in the mat. It has a dual density so it has excellent sound absorption at both low and high frequencies.



#### COOL TUBE

Designed to protect wiring, fuel lines and other areas from extreme heat up to 500°F (260°C). Manufactured from convoluted Nylon 6 tubing - NOT PLASTIC - and covered with aluminised glass fibre fabric, Cool Tube combines flexibility with maximum thermal protection. Chemical and abrasion resistant, the tube can be supplied slit lengthwise for ease of installation.

TD010414	1/2" I.D. x 3ft - Slit / Unslit*	
TD010415	<sup>1</sup> / <sub>2</sub> " I.D. x 15ft - Slit / Unslit*	
TD010406	3/4" I.D. x 3ft - Slit / Unslit*	
TD010407	³/4" I.D. x 15ft - Slit / Unslit*	
* state Slit or L	Inslit when ordering .	



## COOL TUBE HEAT SHIELD

Keep your induction air cool with this unique lace up tube cover. The design of the cover allows it to fit from 2<sup>1</sup>/<sub>2</sub> inch to 4 inch air tubes up to 36" long. The lace on heat shield blocks over 98% of the radiant heat of the turbo and exhaust. The kit comes complete with four different colour laces, blue, yellow, red and white.



#### HEAT SHROUD

A fast and efficient way to protect wires and lines from heat up to 1200°F. Heat Shroud is made of the same fine laminated materials as our sewn sleeving. With Heat Shroud, however, there is no need to unfasten the line or bundle of wires you are protecting. Heat Shroud is wrapped around the wires or lines you are protecting and fastens to itself with full-length hook and loop material as a closure. Depending on how tightly it's wrapped, the Heat Shroud's diameter ranges from  $^{3}/_{4}$ " to  $1^{1}/_{4}$ ".

TD010405 HEAT SHROUD - 36" LENGTH

#### £31.43

HEAT SHIELD

T16500

MUFFI FR/

CATALYTIC CONVERTER KIT

The 40" x 24" Mylar Heat Shield is made of woven silica

shield can be installed between the catalytic converter or

silencer to reflect radiant heat away from the underside of the car. Kit includes all necessary fasteners.

with a flexible Mylar finish. The highly reflective heat

#### KEVLAR HOT SLEEVE

PMTC4598 £9.8

£9.80

Kevlar hot sleeve protects arms from burns whilst working on engines and exhaust systems. Made from hard wearing, double skinned Kevlar with thumb slot which ensures the sleeve does not slip and 360mm long giving complete protection.

### SPARK PLUG WIRE HEAT SHIELD

T14200	x 2	£16.55
T14250	х4	£33.10





£60.90

The heat shield that offers the ultimate protection for spark plug wires and boots from conductive and radiant heat. The dual composite sleeve has a surface that reflects over 90% of radiant heat while the inside silica based fabric prevents conductive heat from penetrating. Two 1/2" dia. X 6" long.

6

£17.85 £72.93 £28.28

£81.70

#### HEAT & SOUND INSULATION

#### EXHAUST/TAILPIPE REPAIR KIT

#### PMHF97799 £6.40

Innovative all-steel clamp and high temperature silica/ceramic gasket will seal and support leaking tailpipes in minutes.

- Gasket withstands temperatures as high as 700° Fahrenheit
- Pipe capacity: 1-1/2" to 2-1/2" diameter
- Zinc-plated clamp resists rust and corrosion.

#### EXHAUST INSULATION WRAP

For use on all internal combustion engines; diesel, rotary, 2-stroke, turbo-charged, fuel-injected, blown, performance or track, passenger cars, trucks, motorcycles, RVs, marine, and aircraft. 1) Reduces under bonnet temperatures up to 70%.	T11151 T11153 T11001-25 T11021-25 T11001 T11021 T11021 T11152	1" x 1/16" x 15' 1" x 1/16" x 15' Black 1" x 1/16" x 25' 1" x 1/16" x 25' Black 1" x 1/16" x 20' Black 1" x 1/16" x 50' Black 2" x 1/16" x 15	£8.95 £10.25 £15.75 £17.70 £26.90 £30.00 £15.35
<ul> <li>turbo-charged, fuel-injected, blown, performance or track, passenger cars, trucks, motorcycles, RVs, marine, and aircraft.</li> <li>1) Reduces under bonnet temperatures up to 70%.</li> <li>2) Increases horsepower and fuel efficiency.</li> <li>3) Withstands continuous heat up to 2000°F (1093°C).</li> <li>4) Increases the life of engine and electronics.</li> </ul>	T11001-25 T11021-25 T11001	1" x 1/16" x 25' 1" x 1/16" x 25' Black 1" x 1/16" x 50'	£15.75 £17.70 £26.90
easy to use method of securing exhaust wrap.	T11005	6" x 1/16" x 100'	£214.00

#### APPROXIMATE COVERAGE FOR INSTALLING EXHAUST INSULATING WRAP

1" EXHAUST INSULATING WRAP Pipe Size: Inches of Wrap per foot of Pipe:	1 <sup>3</sup> / <sub>8</sub> " 70"	1 <sup>1</sup> /2" 76"	1 <sup>5</sup> /8" 82"	1³/4" 88"	1 <sup>7</sup> /8" 95"	2" 101"	2 <sup>1</sup> /8" 108"	2 <sup>1</sup> /4" 113"	
2" EXHAUST INSULATING WRAP Pipe Size: Inches of Wrap per foot of pipe: Coverage per 50 ft roll of Wrap:	2" 44" 13'	3" 57" 11'	4" 70" 9'	5" 83" 7'	6" 96" 5'		Y	2	1

#### COPPER EXHAUST WRAP

 T11031
 1" x 50'
 £

 T11032
 2" x 50'
 £



Improves heat resistance up to 30% more than current technology. Creates more horsepower, reduces under-hood temperatures and is more abrasive resistant. Increases exhaust scavenging and withstands continuous heat up to 2000°F.

	TD010128	1" X 15FT	£15.00
1	TD010126	1" X 50FT	£38.00
	TD010129	2" X 15FT	£20.67
	TD010127	2" X 50FT	£59.80



Titanium Wrap is extremely durable and capable of handling more heat than any other wrap found in the market today. Typical glass fiber wrap is rated at handling 1200 degrees F of maximum direct heat, while new Titanium Wrap, using LR Technology, is capable of handling direct continuous heat up to 1800 degrees F and radiant heat up to 2800 degrees F.

#### HEADER MANIFOLD BLANKET

14004	4 CYL. & STRAIGHT 6 - 1m x 1m	I
11003	V6-V8 BLOCK - 1.5m x 1m	

£79.00 £84.00



Flexible heat shield to cover upper header or exhaust manifolds. Protect underhood components from harmful exhaust heat. Great for wrapping cast iron, and also for RV applications.

#### EXHAUST JACKET - HIGH VELOCITY

The all new Exhaust Jackets are easy to apply and can be installed with manifolds mounted. Reduces under-bonnet temperatures up to 70%. Increases horsepower and fuel efficiency. Jackets withstand temperature up to 2000°F (1093°C). Works on all manifolds with 2" dia. or smaller primaries. The kits include enough material to insulate up to 22" of each primary tube, and all necessary fasteners.



T11246 4 & 6 CYL. KIT £69.40

T11248 V8 KIT £90.80

#### SNAP STRAPS - STAINLESS STEEL - PRE-CUT

The pre-cut multi-purpose stainless steel Snap Straps are designed to secure the Exhaust Insulating Wrap but the uses are endless. The high temperature stainless steel straps have a narrow profile to fit tight spots. Simple and safe to use, with no sharp edges.



T13101	8 X 9" LENGTHS OF STRAP + 4 X 18" LENGTHS OF STRAP (V-8)	£25.25
T13105	6 X 9" LENGTHS OF STRAP + 4 X 18" LENGTHS OF STRAP (V-6)	£21.10
T13150	12 X 9" LENGTHS OF STRAP	£22.65
T13160	6 X 18" LENGTHS OF STRAP	£14.85
TD010202	4 X 14" LENGTHS OF STRAP	£8.00
TR1601	SNAP STRAP 7MM CUSTOM CUT STAINLESS STEEL STRAP	£1.51 (per foot)
TTR1603	SNAP STRAP FLIP LOCK SCREW	£3.38

#### HEAT & SOUND INSULATION

#### REFLECT-A-COOL

Reflect-A-Cool is a reflective material with an adhesive backing. It is a combination of fibreglass and an aluminised foil layer to reflect the heat away from sensitive areas. The amount of reflection, as with any reflective material, depends upon the distance from the object and the mass of heat. It will reflect up to about 1500°F (816°C) and protects against a continuous temperature of 600°F (320°C). This offers excellent protection where a mechanical fastener cannot be used, e.g. on a firewall, in the cockpit of a racing car. It can easily be cut to fit and has an excellent adhesive quality.

T13500	12" x 12"	£13.00
T13575	24" x 12"	£21.55
TS332ALFOL	1m x 1m	£45.00
TD010412	48" x 36"	£56.12



#### STARTER HEAT SHIELD

The Starter Heat Shield developed to eliminate starter problems caused by close proximity of the exhaust to the starter. The radiant heat of the exhaust easily produces enough heat to destroy the windings of the starter and solenoid. To combat this problem we can offer an easy to install strap-on heat barrier to reflect the radiant heat produced by an exhaust system.



T14150

£25.67

#### FLOOR TUNNEL HEAT SHIELD

7" x 22"

The shield is designed to withstand direct temperatures of 1750°F (955°C) and is ideal for under vehicle application for both heat and sound deadening purposes.

Constructed utilising an embossed 10 mil aluminium face bonded to a 1/8" (2 mm) composite fibreglass insulation, the floor and tunnel shield is backed with a very aggressive adhesive that holds past 450°F (230°C). The shield is only 3/16" (4 mm) thick, so requires only minimal clearance and can be shaped and trimmed for a custom fit. The floor and tunnel shield provides the optimal way to reflect heat and sound away from floor pans and floor tunnel areas but can also be used to protect underhood and firewalls as well, being ideal for use on exterior areas such as under-vehicle locations.

TD050501	2 ft x 21" ( 610 mm x 533 mm)
TD050502	4 ft x 21" (1220 mm x 533 mm)
TD050503	4 ft x 42" (1220 mm x 1066 mm)



# THERMO-SLEEVE

The aluminised hose and wiring protection sleeve reflects over 90% of radiant heat to provide the ultimate in protection. The fireproof material is oil resistant providing protection from possible leaks or spills.

Available from 1/4" to 21/2" I.D. Packaged in 3ft lengths.

T14005	3' roll fits 1/4" - 1/2"	£12.75
T14010	3' roll fits <sup>5</sup> / <sub>8</sub> " - 1"	£16.95
T14015	3' roll fits 11/8" - 11/2"	£21.25
T14020	3' roll fits 15/8" - 2"	£25.50
T14025	3' roll fits 21/8" - 21/2"	£29.70
50' rolls av	vailable on request.	

THERMO-FLEX			
<u>e</u>	T17062	<sup>5</sup> / <sub>8</sub> " x 3ft	£13.40
	T17062 - 10	<sup>5</sup> / <sub>8</sub> " x 10ft	£37.20
	T17075	<sup>3</sup> / <sub>4</sub> " x 3ft	£15.00
	T17075 - 10	<sup>3</sup> / <sub>4</sub> " x 10ft	£41.65
	T17100	1" x 3ft	£17.35
and and the second s	T17100 - 10	1" x 10ft	£48.15
	T17125	11/ <sub>4</sub> " x 3ft	£19.50
	T17125 - 10	1 <sup>1</sup> / <sub>4</sub> " x 10ft	£54.20
	T17150	1 <sup>1</sup> / <sub>2</sub> x 3ft	£22.15
	T17150 - 10 T17300 T17300 - 10	3" x 3ft	£61.50 £35.95 £99.90

The Thermo-Flex heat shield is a composite heat shield material with unlimited uses. The material is manufactured from a combination of materials to provide abrasion resistance, thermal insulation and physical containment of hoses and wiring. The combination of aluminium, silica and stainless steel are combined to produce a sleeving that is flexible, lightweight and strong.

The aluminum silica combination can be slit for applications such as wire looms or hose covering without disconnecting the ends of the wire or hoses.

Thermo-Flex is available in  $\frac{5}{8}^{-3}_{-3}^{+-1}$  1<sup>1</sup>/<sub>4</sub><sup>\*-1</sup>/<sub>2</sub><sup>\*</sup> and 3<sup>\*</sup> I.D. Custom sizes from  $\frac{1}{2}^{*}$  to 18<sup>\*</sup> I.D. Thermo-Flex can withstand extreme temperature of 740°F (395°C) in aluminum.

(1050° F (570°C) in stainless steel - prices on application).

10

£30.80 £61.62

£123.00

#### **HEAT & SOUND INSULATION**

#### LIZARD SKIN CERAMIC INSULATION

TLS50102/1	GALLON
TLS50100/1	GALLON
TLS50102/2	GALLON
TLS50100/2	GALLON
and optional	
TLS50125	SP

WHITE LIZARD SKIN CERAMIC INSULATION BLACK LIZARD SKIN CERAMIC INSULATION

WHITE LIZARD SKIN CERAMIC INSULATION

BLACK LIZARD SKIN CERAMIC INSULATION

#### PRAY GUN 588.99

Amazing Lizard Skin spray-on insulation not only reduces engine noise by 10 - 12 decibels and solar heat transfer by 25 - 30°F but protects from moisture and corrosion as well.Lizard Skin can be applied with a brush, roller or spray, is environmentally safe and can be sanded and painted to a concourse finish.

Lizard Skin will withstand temperature up to 500°F (260°C) offering a seamless membrane over the area being covered. It will adhere to any clean, dry substrate and forms an impervious barrier to water.

Ideally suited for use under floorboards, wheel arches, firewalls and under bonnet applications, as well as solar insulation of the body shell. Lizard Skin is available in 2 gallon containers in both black and white and is easy to apply. Covers 47.5 sq. ft - 1 mm thick.

#### MICRO LOUVRE AIR SHIELD

T11710	12" x 24"	£28.95
T11720	24" x 24"	£45.50
T11740	48" x 24"	£82.50



LEZARDSKIN

FLARDSKI

LEZARDSKIN

£83.00

£83.00

£159.00

£159.00

Made from lightweight durable aluminium, featuring micro air louvres. These louvres self cool the surface of the material through air convection making this product one of the most efficient heat shields ever developed to block radiant heat.

#### AUTOMOTIVE EXPANDING FOAM

#### 24 OZ SPRAY CAN (680 G) £14.00 TUFF

Unique Expanding Fire Stop Foam is similar to commercial expanding foam but does not emit toxic fumes when exposed to flames and will not catch fire.

### SUPPRESSOR SOUND AND HEAT MAT

The Suppressor Mat is ideal when both sound and radiant heat control is needed. In addition to the polyethylene film, the foil surface provides direct protection from radiant heat. Ideal for areas like firewalls, floorboards or doors. The Suppressor Mat is 1.778 mm thick, contains a high temperature adhesive backing and is easy to trim and fit.

T14610	12" x 12" (two pieces) 36" x 24" 36" x 60"	£13.25 £26.00 £51.70	
--------	--	----------------------------	--

Also available:-

Rubberised Mat Roller to assist in the application process (T14800) £13.50

#### SUPER SONIC ACOUSTIC MAT

This high quality mat offers superior sound dampening control to reduce road noise, rattles, engine noise, and any other noises that are bothersome. The high-density polyethylene film with an aluminium foil composite is abrasion and tear resistant. The grey film provides structural integrity and strength, allowing the material to bend, move and return to shape even under tension forces. The product is 1.778 mm thick. The rubberised compound is applied with the high temperature adhesive to absorb all those out of control noises. The extra strong adhesive makes the mat very easy to fit and can be cut to any shape.

T14700	12" x 12" (two pieces)	£14.30
T14710	36" x 24"	£26.95
T14720	36" x 60"	£56.10



Also available:-Rubberised Mat Roller to assist in the application process (T14800) \$213.50

#### PIPE HEAT SHIFLD - CLAMP-ON

The flexible clamp on pipe heat shield blocks over 98% of the damaging radiant heat of the exhaust. The high-tech composite construction of the heat shield provides the ultimate in protection.

The kits come complete with all clamps, can be installed in minutes and are available in one, two and three foot lengths. Clamp-on pipe heat shields incorporate a proprietary coating technology. Suitable for pipe diameters - Pipe dia. 1/18" - 3 1/2" dia.

T11600	1FT	£23.65
T11620	2FT	£36.30
T11630	3FT	£48.40

#### **AUTO ELECTRICAL**

#### HEAT SLEEVE

This silicone-coated fibreglass sleeving is designed to protect wires cables and hoses from high temperature exposure, liquid spills and occasional exposure to flame. It is capable of continuous protection to 500°F (260°C) and short term exposure to 2200°F (1200°C). Available in silver or black for sizes and prices see below.

£19.22

£19.22

£77.53

£77.53

T18050 1/2" X 3FT HEAT SLEEVE BLACK £60.90 T18050-10 1/2"X 10FT HEAT SLEEVE BLACK T18051 1/2"X 3FT HEAT SLEEVE SILVER £60.90 T18051-10 1/2" X 10FT HEAT SLEEVE SILVER £24.50 T18075 <sup>3</sup>/<sub>4</sub>"X 3FT HEAT SLEEVE BLACK 3/4"X 10FT HEAT SI FEVE BLACK T18075-10 £24.50 <sup>3</sup>/<sub>4</sub>" X 3FT HEAT SLEEVE SILVER T18076 T18076-10 3/4"X 10FT HEAT SLEEVE SILVER £32.95 T18100 1" X 3FT HEAT SLEEVE BLACK £104.00 T18100-10 1" X 10FT HEAT SI FEVE BLACK £32.95 T18101 1" X 3FT HEAT SI FEVE SILVER £104.00 1" X 10FT HEAT SI FEVE SILVER T18101-10



#### THERMO-SHIELD TAPE

11/2" x 15ft T14002 T14002-60 2" x 60ft

£17.30 £65.00



This self adhesive aluminised tape is an economical and very effective way of

protecting hoses and wiring harnesses from the effect of excessive heat without the

need to disconnect these components, saving time and money and increasing the longevity of the insulated components.

#### REFLECT-A-GOLD

TD010391 12 X 12 REFLECT-A-GOLD TD010392 12 X 24 REFLECT-A-GOLD TD010393 24 X 24 BEELECT-A-GOLD 1.5" X 15FT REFLECT-A-GOLD TD010394 2" X 30FT BEELECT-A-GOLD TD010397

£16.60 £28.90 £53.40 £27,40 £77.51

This state-of-the-art polymer laminated glass cloth is extremely light weight and capable of handling continual operating temperatures up to 850° F, reflecting 80% of all radiant heat while offering a weight savings advantage versus other types of reflective materials

Requiring minimal clearance, Reflect-A-GOLD is a highly conformable material that has a pressure sensitive adhesive backing that is easy to apply and remove. Common uses include wrapping wire bundles, fuel lines, engine covers, seat bottoms, bulk heads, fuel cells, engine compartment, ... the possibilities are endless.

#### IN-LINE SPARK CHECKER KIT FOR RECESSED PLUGS



This kit is a must for anyone testing vehicles with recessed spark plugs and can troubleshoot virtually any vehicle both domestic and imports including SUV's and trucks. It also provides information not available with OBD II code reading devices and shows a duplicate view of the ignition spark.

£14 95 PMTA23970

#### I ED RECHARGEABLE LAMP

This compact rechargeable LED lamp features magnetic back fixing, swivel hook, soft grip and 36 super bright LED. It can be recharged from 12volt output socket or 240v. Fits into glove compartment for general or breakdown use.



#### IN-LINE IGNITION SPARK CHECKER

Features a 90° boot and longer wire to easily install and remove the In-Line spark checker between the spark plug and ignition wire. Great for working in confined areas, such as 'cab forward' designed vehicles to overcome obstructions like shock towers. air conditioning tubing and exhaust manifolds. Use to quickly trouble-shoot ignition system with 'hands-free' operation.

#### £11.65 PM23920



#### FLEXI LIGHT WITH MAGNETIC BASE

This robust LED lamp has a 1w bulb and flexi shaft with strong magnetic base. A handy light that fixes quickly and easily and especially useful under the bonnet or chassis in emergency or general repair situations



#### AUTO ELECTRICAL



#### PM3006 £18.05

Checks voltage on any electrical component or connection, including total battery voltage in D.C. systems up to 16 volts. Features large case with easy to read scale, 36" (910 mm) leads clamp and probe.

#### AUDIO CIRCUIT TESTER

#### PM25500 | £17.01

Handy device for locating short and open circuits. Horn sounds when circuit is complete. Long 5ft leads permit technician to work around corners, under dashboards, in boots, in fact at any distance from the tool. Both hands remain free. Suitable for use on all 6 and 12 volt circuits.

#### NOID LIGHTS, IAC TEST LIGHTS & IGNITION SPARK TESTER KIT

This kit is used to test electronic fuel injection signals, idle air control circuit and spark plug circuits. Included in the kit are:- (a) 8 noid lights for checking GMPFI, Ford TBI, GEO TBI, Bosch PFI, GMTBI, GMSCPI, Bosch 2 and GM Multec 2. (b) 2 IAC test lights for straight and 90° applications. (c) Plus inline spark checker. The kit enables the technician to quickly diagnose "no starts" and missing engine conditions in the electrical, fuel injection and spark plug circuits, enabling one to analyse rough running engines. It is supplied in a durable moulded storage case with full user instructions



£31.30 PMTA36330

#### UNIVERSAL IGNITION SPARK TESTER

£5.71 PM3020

The most essential tool for troubleshooting no-starts. Allows user to see AND hear if spark is present and test intensity. Adjusts for any ignition system from small engine magneto to high energy electronic, plus new distributorless systems. Also tests spark timing with conventional ignition. Safe and easier than other methods. Needs to be earthed.



#### SPARK PLUG WIRE TESTER

#### PMD3018 | £4.20

Tests for the presence of spark without risk of shock and without damaging wires. Identifies badly fouled spark plugs. Includes hooded alligator clip, lead and inductive tester with LED.



#### **MULTIMETER**

#### PMA303 MULTIMETER - DIGITAL £9,99

Pocket-sized meter tests five functions with 21 ranges including: - DC volts, Ohms, Diode, DC amps and AC volts. Offers 10 megohm input impedance overload protection and a 0.7% accuracy. Features 3.5 digit display, 44" (1.1m) leads with probes. 9 volt battery and complete instructions.



plastic case.

#### CIRCUIT TESTER

Cleans battery terminals and posts. Internal and external wire brushes are built into special acid proof

£5.95 PM3115



#### PM21250/26000 6 & 12 VOLT PLUS FINGER SAVER £8.47

The new Circuit Tester is a vehicle wiring trouble-shooter that suits both 6 and 12 volt circuits. It also comes with something extra called 'Finger Saver', a patented Wire Piercing Guide that prevents injury to finaers.



£7.62 PM3002

#### INTERMITTENT SHORT INDICATOR AND SHORT CIRCUIT FINDER

£39.50 PM25300

The number of complex wiring systems in modern vehicles is growing. Intermittent short circuits are becoming more common and are the most difficult shorts to locate. Use this device with AUDIO SIGNAL to indicate when intermittent short circuit occurs with vehicle at rest or on road test. After faulty system is indicated, use to find short location.





#### DC CURRENT INDICATOR

£8.18 PM3014

19

Inductively measures alternator, generator and starter DC current for 6 volt, 12 volt and 24 volt systems. Includes scales of 400-0-400 and 75-0-75 DC amps. Features bracket on back to hang on wire and allow user to work 'hands-free'.



## AUTO ELECTRICAL



#### ECONOMY BATTERY TERMINAL PULLER

Essential when terminals are a tight fit or corroded, avoids damage to battery terminal posts. The tool is spring-loaded and features vinyl ends for a comfortable orip.

PMA330 £6.80

REMOTE CONTROL STARTER SWITCH PM24000 | £13.50

This heavy-duty switch controls any engine with the solenoid starter switch when making adjustments and repairs. Features large switch case, long leads with hooded clamps.





#### SPARK PLUG GAPPER

Ramp style gauge measures spark plug gaps from .020" to .100" (.50 to 2.5 mm). Hole in gauge works as electrode adjuster and can be used to fit on key chain.

#### 9-WIRE SPARK PLUG GAUGE

#### PMD3238 £1.80

If you don't want to damage the precious metal electrodes found on todays plugs, then this wire gauge is the best tool for setting spark plug gaps. New larger design with 9-wire sizes:- .025", .030", .035", .040", .044", .055" and .060 (metric equivalents included). The Gauge also includes an electrode adjuster.



# works as electrode adjuster and can be used to fit on key chain. PM3235 £0.84

#### 14 MM SPARK PLUG CYLINDER HEAD RE-THREADER KIT

#### PM2340 £10.66

This kit can save the cost of a new head by repairing damaged threads on aluminum heads. Includes 3/4" hex drive tap and one each of four sizes of solid steel inserts to replace damaged threads.

PM2342	14 mm Inserts 3/8" long (set of 2)	£2.55 Each
PM2343	14 mm Inserts 7/16" long (set of 2)	£2.55 Each
PM2344	14 mm Inserts 1/2" long (set of 2)	£2.55 Each
PM2345	14 mm Inserts 3/4" long (set of 2)	£2.55 Each



#### FLUID TRANSFER TOOL

Much more resistance to automotive fluids than an ordinary turkey baster, this bulb type tool is useful for emptying brake master cylinder reservoirs during fluid service, adjusting the level of distilled water or electrolyte in batteries, cleaning out carburettor bowls etc. Large long-lasting rubber bulb and long, rigid plastic nozzles.

#### PM3150 £3.25

SPARK PLUG SPANNER - T HANDLE		
PMA355	<sup>13</sup> / <sub>16</sub> " 20.64mm	£3.26
PMA350	<sup>5</sup> / <sub>8</sub> " 15.875mm	£3.26

#### MEMORY SAVER EOBD11



This EOBDII memory saver holds the data codes from the vehicles ECU when the car battery is disconnected.

Simply plug straight into the 180pin EOBD socket and attach the battery clips to a slave battery.

PMTC77065 £21.68

#### WIRE STRIPPER 5-IN-1

Superior to all other tools on the market, this 5-in-1 electrical tool cuts wire, crimps solderless terminals, strips 10 to 22 gauge wire, cuts bolts and works as pliers. Also features a 7-8 mm Auto Crimp. Constructed from heavy gauge alloy steel and featuring a thick plastic grip OAL 8" (200 mm).

PMA847 | £10.25



#### AUTO ELECTRICAL

#### SPARK PLUG BOOT PULLER

A small but invaluable tool for every toolbox. This Puller removes spark plug boots quickly and easily without the danger of burning your hands on a hot manifold. It is made of heat-treated steel with a vinyl handgrip. OAL 3-1/2" (90mm).

#### PMD3050 £1.78

#### SPARK PLUG CLEANER

#### PM18500 £24.00

A useful tool which cleans all plugs incl. rotary engine plugs quickly and effortlessly with internally controlled abrasive blasting. All you need is ordinary airline pressure and the compressed air flows through a special venturi and mixes with the abrasive to thoroughly clean the spark plug, just like new.

A lever valve on the outside of the unit allows for blasting with an abrasive/air mix or pure air only. Silica free abrasive material is included with the unit. The cleaner is supplied complete with full and detailed instructions.

• Recommended airline pressure: 70-80 psi with a maximum of 90 psi.

PM18530 SILICA FREE ABRASIVE - 750 GRAMS £3.68



# 12 VOLT ONBOARD BATTERY AND ALTERNATOR LOAD TESTER

Check the condition of your battery and charging/alternator system with the push of a button.

- Ring terminals and a hook and loop backing give the option of permanent mounting
- Easy to read LED charge level indicators of good, fair and poor

£7.98

- Weatherproof for additional safety and durability
- Fits standard 12V batteries with 18mm posts.

For product details see page 59 PMHF65928



#### UNIVERSAL ANTENNA WRENCH

Unique design allows service of six different antenna nuts on all vehicles. No need to buy expensive sockets. 'Hardened and plated for durability.

PMA572 £5.71



#### RADIO REMOVAL TOOL KIT

PMD5400 £28.99

Ideal for use on all European makes of cars and most others. There are 9 sets of specially shaped tools, which will service Blaupunkt, Becker, Grundig and more.



#### JUMP LEADS

The economical high quality and practical jump leads are 30" (762mm) long, highly insulated and colour coded – one lead black and one lead red.



PMTA22900 | £4.00

# THREE-IN-ONE ALTERNATOR GENERATOR STARTER CURRENT INDICATOR



#### Measures CHARGING RATE and STARTER CURRENT on one indicator. No need to purchase two separate tools. Induction type meter. Needs no hook up wires or cables. Hold meter over cable and read.

The Indicator is calibrated as follows:-• 75-0-75 amps - alternator - regulator • 600-0-600 amps - starter.

#### PM24600 | £14.90

#### FAN BELT TIGHTENER

#### PMD2705 £8.68

This is a simple Tool that makes belt tightening an easy one-man operation. It will work on most alternators and other belt driven units. The special curved design hooks around alternators to lock into position.

Use with a 1/2 drive tool.



#### SELF POWERED FLASHLIGHT

A hand winding powered LED torch with integral compass which makes it an ideal accessory for outdoor activities.



PM410249 £6.84

HEAVY DUTY RUBBER TORCH



Requires 2 AA batteries.

PM285336 £2.49

### **AUTO ELECTRICAL**



#### BRAKES

#### BRAKES

PM9170

MULTI-GROOVE TUBE BENDER

with vinyl grip. OAL  $6^{1}/_{2}$ " (160 mm).

£9.50

Bends <sup>3</sup>/<sub>16</sub>", <sup>1</sup>/<sub>4</sub>", <sup>5</sup>/<sub>16</sub>" and <sup>3</sup>/<sub>8</sub>" (4.8, 6.4, 7.9 and 9.5

Machined aluminum head is mounted to steel handle

mm) diameter tubing without kinking or collapsing.

#### 3 PC METRIC FLARE NUT SPANNER SET

#### PMA860 £8.18

Forged from chrome vanadium alloy steel for maximum strength and durability. Sizes: 10 x 12 mm, 13 x 14 mm and 15 x 17 mm.

#### 3 PC SAE FLARE NUT SPANNER SET

PMA850 £8.18

Forged from chrome vanadium alloy steel for maximum strength and durability. Sizes:  ${}^3/{s}" x \, {}^7/{16}", \, {}^1/{2}" x \, {}^9/{16}"$  and  ${}^5/{s}" x \, {}^{11}/{16}"$ .

#### DOUBLE FLARE TOOL SET



Double flares soft steel tubing up to .040 (1 mm) wall thickness. Single flares soft copper, aluminium and brass tubing. Includes hardened bar assembly with seven threaded dies – (1/2", 1/4", 4.75mm, 5mm, 6mm, 8mm and 10mm) – yoke with swivel tip and sliding T-bar and seven double flare adaptors (same sizes as dies). Set is packed in heavy blow-mould box and includes instructions.

PMA974 £32.85

#### TUBE CUTTER - LARGE

Cuts steel, aluminium, plastic, brass or copper tubing from  $^{1}\!/_{8}"$  to  $1^{1}\!/_{8}"$  (3 mm to 29 mm) 0.D.



PM9176 £12.30



#### TUBE CUTTER - MINI

Cuts aluminium, plastic, brass or copper tubing from  $1/_8$ " to  $5/_8$ " (3 mm to 16 mm) O.D. Ideal for use in close quarter work or confined spaces. Features hardened cutting wheel and adjustment knob to change working diameter.

PMA975 £4.68



#### BRAKE DISC AND DRUM REMOVAL TOOLS



#### PM1440 £ 5.20

This specially designed set of bolts easily removes drums and discs from most European and Japanese cars to enable machining or replacement as required. The tools feature strong comfortable plastic handles, and a 10 mm hex for use with a wrench, together with rolled threads for a long life. For fast and efficient removal of drums or discs this tool is a must.

#### HOSE PINCH SET

This pair of small and compact tools pinches off flexible fuel and vacuum lines up to 5/8" O.D. without damaging them. Also great for brake hydraulic systems.

PMA882 £5.10

#### BRAKE BLEEDER WRENCH

This 8mm x 10mm Wrench fits almost all vehicles and loosens the bleeder screws to allow bleeding of air from brake cylinders. The offset style of the tool makes it easy to use.

PMDA145 £3.10



#### ONE-MAN BRAKE BLEEDER

Service callipers, wheel cylinders and master cylinders. Includes fluid collection bottle, magnet (attaches bottle to car to allow any bubbles to rise), set of hoses and special tapered fittings.

PM1250 £5.10



#### BRAKES

BRAKES

#### BRAKE BLEEDER REPAIR KIT

Save money by fitting these inexpensive brake bleeder screws instead of replacing the calliper or wheel cylinder when the bleed screw is frozen or broken. Use with a drill and a tap. Two sizes to fit all applications.

PMD1230 <sup>1</sup>/4", <sup>5</sup>/<sub>16</sub>", 7mm and 8mm Screws

PMD1235 3/8", 7/16" and 10mm Screws

£2.50

£2.50

#### DISC BRAKE PAD SPREADER

Helps install pads on most vehicles by compressing inner pad and resetting calliper piston. Features all steel construction with large knob and fine thread driver for easy turning. Works in tight areas where a 'C' clamp won't.



PM1465 £5.71

#### MITYVAC VACUUM PUMP - TUNE-UP & BRAKE BLEEDING KIT



Hand-held vacuum pump performs brake bleeding and many automotive testing procedures, such as vacuum gauges, diesel valves, power brakes, ignition timing, vacuum pumps, engine control systems, automatic transmissions, emission controls, A/C and heater controls, carburettor service and many more. Lightweight and easy to use.

PM7000 £47.65

#### HOSE PINCH-OFF PLIERS

Clamps hoses and vacuum lines with special swivelling jaws that maintain a parallel clamp. Features built-in ratchet mechanism that locks handles in position.

PM8800 £9.00



#### DISC BRAKE PISTON 'CUBE'

A must for re-lining most rear disc brakes. Rotates pistons back into brake callipers when replacing pads. Unique 'cube' design provides five drive pin configurations to fit most applications. Use with 3/8" drive tools.

PM1455 £7.36





The Koul Tool is the only tool to overcome the problem of installing braided hose into the socket part of the assembly. It is simple to use, virtually indestructible and will save time, money and fingers from the frayed ends of a braided hose. Suitable to meet the requirements of all the well-known fitting manufacturers, such as Aeroquip, Earls, Fragola, XRP and Goodridge. Koul Tool is available in two kits to fit both small and large braided hoses and comes complete with adaptors and full operating instructions.



£68.00 £81.00

#### FLUID EXTRACTOR

At last a tool that can extract or transfer any fluid - motor oil, gear lubricant, coolant, water etc. neatly, powerfully and fast.

- Features a low-profile spherical design, with a 6-litre capacity with a handy pouring spout and 5mm hose to fit down dipstick tubes.
- Includes 82" long hose.

PMD7450 £40.00



#### 18 PIECE DISC BRAKE PAD & CALIPER SERVICE TOOL KIT

- For rotating pistons back into the caliper to provide clearance for new pads
- Prevents damage to the piston and boot
- Magnetic right and left side spindle adapters
- Designed for use with many vehicles, including GM, Audi, Austin, BMW, Ford, Honda, Jaguar, Mercedes Benz, Mitsubishi, Nissan, Rover, Toyota, VW, Mazda, Saab, Subaru, Renault, and Opel
- High carbon steel construction.

Includes 16 adapters, two T-handles, and blow mold storage case. Handle dimensions: 6-1/8 L x 4-1/64 W.

PMHF97143 £64.00



#### COOLING

COOLING



An absolute must if you want to avoid engine-destroying overheating due to clogged radiator passages. The flush kit backflushes the cooling system, fits in minutes and will work on most cars and trucks...If overheating persists use our Radiator Relief to increase the efficiency of the cooling system.

TD040200 £9.60 for a 16 fl oz bottle.

#### up to 30psi Includes eight radiator cap adaptors for

servicing most

vehicles



- Large volume pump capacity reduces strokes required to pressurise cooling svstem
- Connects using self-locking quick-disconnect components saving time
- Thumb operated relief valve for convenient pressure release.

PMHF65053 £125.00

#### RADIATOR RELIFE™

£9.60 TD040200 Radiator Relief 16 fl. oz. bottle

NEW Radiator Relief<sup>™</sup> supercharges your radiator by transferring heat more efficiently through the radiator. This proven coolant additive will reduce your operating temperature up to 17°C reducing engine wear that occurs during extreme use. NEW Radiator Relief™ is also formulated with a corrosion inhibitor that reduces mineral deposits. This is the first additive that maintains pH levels that otherwise fluctuate over time resulting in core damage. • 17°C lower operating temperature • 50% guicker warm up • No mixing required; just add to cooling system! • Compatible with water and all anti-freeze mixtures • Safe with all alloys • 100% Biodegradable, Non-Corrosive and Non-Toxic • For use in all water cooled engines, Simply the best coolant additive on the market today.

#### BADIATOB BELIEE™ DIESEL

£9.60 TD040204 Radiator Relief<sup>™</sup> for Diesels 16 fl. oz. bottle

Radiator Relief<sup>™</sup> for Diesels supercharges your radiator by transferring heat more efficiently through the radiator. This proven coolant additive will reduce your operating temperature up to 17°C degrees and reduce engine wear that occurs during extreme heat. NEW Radiator Relief<sup>™</sup> for Diesels is also formulated with a corrosion inhibitor that reduces mineral deposits. This is the first additive that maintains pH levels that otherwise fluctuate over time resulting in core damage. • 17°C lower operating temperature • 50% quicker warm up No mixing required; just add to cooling system!
 Compatible with water and all anti-freeze mixtures
 Safe with all alloys • 100% Biodegradable, Non-Corrosive and Non-Toxic • For use in all water cooled engines.

## BADIATOR BELIEF™ ELUSH

Radiator Relief Flush 16 fl. oz. bottle £9.60 TD040202

Radiator Relief™ Cooling System Flush is a concentrated cleansing agent that effectively removes rust and mineral deposits left behind in the radiator core and hose lines. This advanced treatment also dissolves oily residue build-up left behind in old anti-freeze and coolant mixtures due to external contaminants. Helps maintain optimum efficiency and recommended to be used with distilled water.

#### HEATER HOTTER™

TD040206 Heater Hotter Additive 16 fl. oz. bottle

£9.60

Heater Hotter™ formulated specifically to accelerate the transfer of heat from engine to cooling system in frigid climates that otherwise increase engine wear. Heater Hotter's™ unique formula allows your vehicle's heater to warm up 50% faster in even sub-zero temperatures and is safe to mix with all types of anti-freeze. Just simply add to your radiator.

#### CHILL CHARGER™

£9.60 TD040208 Chill Charger Intercooler Additive 16 fl. oz. bottle

Chill Charger™ for water-to-air intercoolers maximises thermal transfer to lower air intake temperatures while also protecting core corrosion, electrolysis and harmful mineral build up. By effectively transferring water that circulates through the intercooler Chill Charaer™ reduces liquid heat soak in high performance turbo and supercharaer systems.











#### AUTOMATIC TRANSMISSION & ENGINE OIL PRESSURE TESTER

Checks oil pressure in automatic transmissions and engines. Adaptors provide coverage of most models of cars and light trucks, including late models.

Supplied with two gauges – the large one for all applications and the small one for more accurate reading of engine oil pressure where maximum oil pressure does not exceed 50 p.s.i. (3.5 BAR). Includes 6 feet of oil proof hose and 10 assorted fittings.

Supplied in a durable plastic moulded storage case with carrying handle and ample space for additional adaptors and parts.

PM34580 | £71.60

#### CAMSHAFT BEARING TOOL

Removes and installs camshaft bearings on almost all automotive and truck engines. The kit includes drive bar with extension, nylon cone, 5 collet sets with two sets of rubber sleeves, expander assembly and washer. All packed in blow-moulded box with full instructions.





#### 4 PC 12-POINT WRENCH SET



Fits 12-point 'serrated' fasteners found on many makes of vehicles fitted to engine head bolts and oil pump retaining bolts.

PM9280 | £6.95



# AUTOMATIC TRANSMISSION & ENGINE OIL PRESSURE TESTER

This well priced quality product is essential for checking oil pressure in engines and automatic transmissions for most cars and trucks. It features a 2-1/2" (65mm) dia. gauge with dual calibration (0-300 PSI/0-21 Kg/cm), 6 feet (1.8m) neoprene hose and a complete set of SAE and metric adaptor fittings.

PMD2001 £31.20

#### HARMONIC BALANCER PULLER

Removes the harmonic balancer or pulley from the front of the crankshaft without damage. Four-slot, heavy-duty yoke. Extra-long 71/2" (190 mm) centre screw has built-in tip and can be used with flat and pointed adapter tips. Five sets of hardened, flange-head bolts included: M8 x 1.25 x 80 mm, M10 x 1.50 x 75 mm,  $3/_8$ " – 16 x 4",  $3/_8$ " – 24 x 2" and  $5/_{\rm rm}$ " – 18 x 2".

PMA815 | £11.48

COMPRESSION TESTER (UNIVERSAL KIT)

£64.95

This kit will cover virtually every compression

test from lawn mowers to trucks. It includes

8" (20 cm) flex hose with 14 mm and 18

mm threaded end, three long adaptors

straight extension plus offset and straight

adaptors with tapered rubber cones, and

standard gauge head with quick release

(10 mm, 12 mm and 14 mm), one

valve and threaded end. The gauge head is 21/2" (64 mm) diameter with

dual calibration. (0-300 psi/0-21

PM2012

ka/cm).

#### SPIDER TYPE ADJUSTABLE OIL FILTER WRENCHES

Three clamping legs are driven by a gear mechanism for maximum range and superior gripping. Range- $2^3/8^* - 4^3/4^*$  (61 mm - 121 mm). For all cars and light trucks.

PM2505 | £13.93

#### ELECTRONIC STETHOSCOPE

Pinpoint engine and chassis noises for easier troubleshooting.

- Advanced design is more sensitive, covers a wider range of frequencies (100 Hz to 10 kHz)
- Volume control
- Padded ear phones
- 11" long reach probe plus 2" prove for tight spots.

Runs on 9V battery, included. Comes with carry case.

PMTA32100 £77.00





Extra wide nylon band tightens as you turn. Offers wider range than any other wrench. Works on all filters up to 6" (152 mm).

PM2595 FILTER WRENCH UP TO 6" £6.80



#### EXHAUST BACK PRESSURE TESTER

Test for clogged or obstructed catalytic converters and silencers. Fast and easy to use. Threads into oxygen sensor port. Kit includes 12mm and 18mm adaptors to fit most vehicles. Gauge measures 63mm dia. and has a dual scale: 15 p.s.i.and 1.00 Kg/Cm<sup>2</sup>. Hose is 41 inches (1045mm) long. Packed in a vinyl pouch for safe tool-box storage. Supplied complete with instructions.

PM33600 £37.53

#### UNIVERSAL CLUTCH ALIGNMENT TOOL

For fast easy alignment of clutch plates. Complete set offers both SAE and metric applications to service most cars and light trucks. Features all-steel construction and includes  $8^{1}/_{2}^{"}$  (216 mm) centre shaft, tapered cone and eight bushing sizes.

PM6125 £19.50



#### TAIL PIPE EXPANDERS

These heavy duty tools made from steel, flare and expand exhaust pipes. They feature an extra long hex bar for turning.

 PMHF37352
 SMALL
 £16.00

 Works with all 1-1/8" to 1-3/4" thin wall pipes
 PM2622
 MEDIUM
 £27.25

 Suitable for diameters from 1 ½" to 2 ½"
 PMD2624
 LARGE
 £33.30

 Suitable for pipes from 2" to 3 7/16"
 Suitable
 Suitable



Installs harmonic balances or drive pulleys that are pressed in the camshaft. Includes the following adaptors for most makes:-  $7_{16}$ " - 20,  $1_2$ " - 20,  $9_{16}$ " - 18,  $5_8$ " - 18,  $3_4$ " - 16, M12 x 1.5, M14 x 1.5 and M16 x 2.0.

PM2238 | £33.68

#### TAILPIPE CUTTER

Easily cuts through pipes by exerting gripping pressure. Cutting chain wraps around pipe and a micrometertype knurled handle is turned to apply pressure. Features 14 carbide-cutting wheels with spacers for superior tracking. For pipes from  ${}^{3}\!/{}^{"}$  to  ${}^{"}$ (19 mm – 76 mm).

PM2631 | £37.78

#### ADJUSTABLE ENGINE CYLINDER HONES

#### PM2310 £24.67

Essential for resurfacing cylinder walls on cars and trucks so that new rings will seat. Also eliminates minor cylinder wall imperfections. It adjusts to a wide range of diameters (2"-7") – (51 mm -178 mm) as well as tension settings so that the cutting action can be controlled. A flexible shaft is featured that will fit any variable speed drill. Replacement stones are available when required as follows:



Set of 3 stones with cotter pins 4" (102 mm) length $-$ Coarse Grit
Set of 3 stones with cotter pins 4" (102 mm) length – Medium Gr
Set of 3 stones with cotter pins 4" (102 mm) length – Fine Grit



ìrit	£9.95
Grit	£9.95
	£9.95





PMD2218 £32.43

#### PISTON RING COMPRESSOR

Ideal for all passenger cars, featuring a ratchet mechanism with square drive tool to adjust diameter and enlarged crimped edge to prevent compressor from entering cylinder. Depth: 3<sup>1</sup>/<sub>2</sub>" (89 mm) Range: 2<sup>1</sup>/<sub>8</sub>" to 5" (54 to 127 mm).

PM2025 £8.84

#### PISTON GROOVE CLEANER

This useful tool removes carbon from ring grooves on pistons – 2"– 5" diameter (51 mm-127 mm) diameter. Included are two cutter wheels with the following sizes: SAE –  $\frac{1}{16^{n}}, \frac{3}{216^{n}}, \frac{3}{23^{n}}, \frac{1}{6^{n}}, \frac{5}{23^{n}}, \frac{3}{16^{n}}$  and  $\frac{1}{4^{n}}$ .

 $AE = \gamma_{16}, \gamma_{16}, \gamma_{32}, \gamma_{8}, \gamma_{32}, \gamma_{16}$  and  $\gamma_{4}$ . Metric – 2.00mm, 2.50mm, 3.00mm, 4.00mm and 4.50mm.

PM2035 £15.50



#### PISTON RING INSTALLER

Installs and removes piston rings without breakage. Adjustable from  $2^{1}/_{2}$ " to  $6^{1}/_{4}$ " (64 to 159 mm). Includes special locking mechanism to hold pliers in set position.

PM2028 £3.99

#### **ENGINE & TRANSMISSION**

#### TOP DEAD CENTRE INDICATOR



This clever little device whistles as the piston approaches top dead centre (TDC) on the compression stroke and stops whistling when the piston reaches TDC. It eliminates the guesswork involved when diagnosing jumped timing belts and timing chains. Assists in valve adjustments and installation of distributors, timing belts and timing chains. 2-in-1 fitting threads into all 14 mm and 18 mm spark plug ports. The tool is not for use on diesel engines. Comes complete with full instructions. Overall length is 27" (686 mm).

£27.99

PM33650

#### UNIVERSAL COMPRESSION TESTER

Tests compression on all cars and most trucks. Adaptors fit vehicles with 14mm and 18mm plugs including long reach and <sup>5</sup>/<sub>8</sub>" hex plugs. Flexible hose eliminates need to remove auxiliary equipment such as power brakes and steering or air conditioning and manifolds. Screw in adaptors guarantee accuracy over push-in type testers. Quick side release valve permits re-test without removal of adaptors. Gauge range 0-300 p.si. and 0-21 BAR.



Supplied in a durable storage pouch for safekeeping.

FOR PETROL ENGINES

PM34000

£48.00

#### UNIVERSAL TIE ROD END TOOL

Pulls tie rod ends with a straight firm pull without hammering or prying. Offers 21/2" spread and 21/4" reach, servicing all tie rods, as well as many gears and pulleys.

PM4011 £49.30





The "Chinese-Finger" is designed to extract and install a new wick type seal without removing the engine or crankshaft. The kit includes a Wick Seal Remover and a Chinese-Finger Wire Mesh Installer.

PMD2240 | £10.99





Lightweight compressor is an effective and affordable tool. Features automatic locking ratchet design and includes two sets of adjustable jaws. Can be used with one hand. 9" (230 mm) opening and 9" (230 mm) depth will handle most cars and light trucks. Includes two sets of adjustable jaws. Replacement jaws available.

PM2232 £32.03

#### VALVE SPRING COMPRESSOR

Designed for use with the clinder head still on the engine and in the car, or with the cylinder head removed. Base of tool bolts to the head while the lever pivots from the base to compress the spring. Removal and installation of spring retaining keepers is made through the openings on both sides of the compression tube. Complete with the purpose moulded toolbox.

Suitable for most car engines.



PM2235 | £69.86

#### OVERHEAD VALVE TOOL

Can be used instead of other types of valve spring compressors. It removes and replaces valve keepers on all petrol and diesel overhead valve engines, incl. motorcycle, marine and aircraft engines. The most compact and versatile tool of its type on the market.



#### FLYWHEEL TURNER

Designed to engage flywheel teeth and provide leverage to rotate crankshaft to desired position. Use when removing clutch or torque converter bolts. A necessary aid when installing compression rings or working on transmissions and clutches.





37

#### **ENGINE & TRANSMISSION**

#### FEELER GAUGE

PMA309 16 BLADE OFFSET | £5.10

High quality offset blades for use in hard to reach places such as tappets, points etc.



#### REMOTE CONTROL STARTER SWITCH

This heavy-duty switch controls any engine with the solenoid starter switch when making adjustments and repairs. Features large switch case, long leads with hooded clamps.





PMHF90468 £4.15



measurements on clearance from

.004" to .027" (.10 to .69 mm).

## FEELER GAUGE

PMA318 33 BLADE STANDARD £6.95

32 high quality straight blades .0015" to .035" and one brass blade .010".



## PLASTIGAGE PM2450 | £5.95

An inexpensive way to measure clearances of engine rods and main bearings without the need of a micrometer. Comes in a set of two sizes: .001-.003 and .002-.006/.025-.08 mm and .05-.15 mm which covers all auto engines.



#### SPARK PLUG HOLE THREAD CHASER PM2360 10mm-14mm £4.75 PM2361 14mm-18mm £5.95 Removes carbon and corrosion and straightens damaged

threads on spark plug holes. Use with 13/16" deep socket, open end or box spanner. Tapered for easy starting.

#### 14 MM SPARK PLUG CYLINDER HEAD RE-THREADER KIT



#### PM2340 | £10.66

This kit can save the cost of a new head by repairing damaged threads on aluminum heads. Includes 3/4" hex drive tap and one each of four sizes of solid steel inserts to replace damaged threads.

 PM2342
 14 mm Inserts 3/8" long (set of 2
 £2.55

 PM2343
 14 mm Inserts 7/16" long (set of 2)
 £2.55

 PM2344
 14 mm Inserts 1/2" long (set of 2)
 £2.55

 PM2345
 14 mm Inserts 3/4" long (set of 2)
 £2.55

#### FLUID TRANSFER TOOL Ideal for transferring or siphoning fluids on machines, cars, boats etc.

PMTC3719 | £6.50

#### SPIN-A-RATCHET

Use these fingertip spinners to pre-tighten or loosen nuts and bolts until rachet is engaged. Push into socket, spin to tighten position, put on ratchet and finish the job. Cut labour time in ratcheting work. Available in set of  $1/4"_{\rm s}$  3/6" and 1/2".



PM13400 | £22.50

#### SPARK PLUG SPANNER T HANDLE

РМА355 <sup>13</sup>/<sub>16</sub>" £3.26 РМА350 <sup>5</sup>/<sub>8</sub>" £3.26

The T-handle with swivel socket removes and installs spark plugs even in the tightest areas. Comes with a vinyl handle for comfort and grip.







#### GASKETSCRAPER

All purpose scraper for removing shellacked gaskets, paint, grease and carbon. Forged alloy steel blade with sharp chisel edge can be re-sharpened. Heavy duty moulded plastic hand OAL: 10" (250 mm).

PM2080 | £5.10

#### **ENGINE & TRANSMISSION**

#### SEAL PULLER

Ideal for removing oil and grease seals on cars and trucks. Manufactured from hardened steel, the head is two sided and features a heavy duty shaft with a large 'comfort grip' handle, OAL 12" (31 cm),



#### SNAP RING PLIERS

Services internal rings from 3/8" to 2" (10mm to 48mm) and external rings from 1/4" to 2"(7mm to 48mm). Thick molded plastic handles. Includes 4 tip sizes: .036"(90mm). .047" (1.2mm). .07"(1.8mm) Straight, plus .036" (0.9mm), .047" (1.2mm) bent 90°. OAL 7 1/2" (190mm).



#### SPIRAL SCREW EXTRACTOR SET

Finest extractors for the removal of broken studs, set screws and pipe fittings. Made in the U.S.A. of chrome vanadium steel. The drill sizes are 5/64", 7/64" 5/32" 7/32", and <sup>17</sup>/<sub>64</sub>" covering every eventuality.



£68.00

£81.00

For full product details see page 29

KOUL TOOL

PMKT468

PMKT1016

<sup>3</sup>/<sub>4</sub>" (70 mm).

TRANSMISSION STOP-OFF TOOL

PARTS CLEANING BRUSH

Excellent brush for cleaning engine

and parts. Bristles and handle are

made of durable polypropylene.

Dia. 1" (25 mm) Bristle length: 2

PM099620 | £2.54

Use this tool to plug the transmission shaft opening when removing the drive shaft, repairing U-joints or working on the transmission. It eliminates the need to drain transmission fluid, reducing fluid waste on most rear-wheel drive vehicles.

- Useful for do-it-yourself and professional auto mechanics
- Fits most domestic rear-wheel drive cars.

PM-HF98060 £6.50 This pair of small and compact tools pinches off flexible fuel and vacuum lines up to 5/8" O.D. without damaging them. Also great for brake hydraulic systems.

HOSE PINCH SET

PMA882 (2 Pcs) | £5.10



#### oil starvation both at start-up and shutdown, which is the main cause of turbocharger failures. Turbo Guard is reliable, automatic and maintenance free. It will pay for itself over and over again - plus cut down frustrating

Turbo Guard eliminates turbocharger failure through

delays and lost time - by eliminating damage and

# expensive breakdowns caused by oil starvation.

#### £110.00 N8800

INSPECTION MIRBOR

PM021120 | £2.54

Circular telescopic mirror with

visual inspection of hidden areas.

Features 'all angles' double ball

ioint that links mirror to the handle for 360° viewing but holds in

pocket clip, for fast accurate

position firmly.

**TURBO** 

GUARD

#### 2PC VALVE LAPPING TOOL SET

This economical set of the two most popular sizes of lapping tools will service most automotive applications. They feature beaded wooden dowels for non-slip use and synthetic rubber vacuum cups.

#### PMD2119 £3.45

#### FLUID EXTRACTOR

#### At last a tool that can extract or transfer any fluid – motor oil, gear lubricant. coolant, water etc. neatly, powerfully and fast.

- Features a low-profile spherical design, with a 6-litre capacity with a handy pouring spout and 5mm hose to fit down dipstick tubes
- Includes 82" long hose.

#### PMD7450 £40.00



#### WORKSHOP WING COVER

Magnetic cover protects the paintwork on the wing whilst working in the engine compartment.

PMTC3008 £8.50







#### **ENGINE & TRANSMISSION**

#### VALVE GRINDING & LAPPING COMPOUND

"Duplex" can includes two oz. (56.7a) of course arit compound (for roughing) and two oz. (56.7g) of fine grit compound (for finishing), Ideal for seating valves. mating gears, lapping injectors and honing knives and cutters

PMD2219 | £3.45



#### HYDRAULIC VALVE TAPPET REMOVER

This handy tool is a must for removing lifters that are baked or stuck. It can be used without having to remove the manifold and features extra strong heat-treated teeth to hook under the groove. OAL 13" (335mm).

£6.50 PMD2210

#### MULTI PORT IN JECTION PRESSURE TESTER

This kit can test the fuel pressure on virtually all makes and models of petrol engine vehicles equipped with multi-port fuel injection. It can also test throttle body injection systems as well. The package is supplied with adaptors, gauge and hoses which also makes it suitable for use on older vehicles. Packed together with full user instructions in a durable plastic moulded storage case with carrying handle, with ample space for additional adaptors and parts.



£115.00

PMTA36250

#### 48PC PROFESSIONAL LOW-PROFILE BIT SET

This set cleverly uses offset stubby combination wrench, plus two special 5/16" and 1/4" hex adaptors and 3/4" (19 mm) long bits. This patented set will allow access into the tightest areas and the 44 bits include 9 Torx, 12 SAE Hex, 9 Metric Hex, 4 Triple Square, 5 Slotted and 5 Phillips. With 1/2" Hex Drive Adaptors to fit the Reversible Ratchet and Open End Wrench. All packed in a blowmould box.

£45.00 PMD9700



#### DRAIN PLUG KEY SET 5PC

This Drain Plug Key Set includes most sizes for BMW. Citroen. Ford. Honda, Lancia, Mazda, Mercedes, Nissan, Peugeot, Renault, Saab and Volkswagen. Sizes include 14/17mmHex. 10/12mm Hex. 9mm/5/16" Hex. 8/13mm Square and 3/8"/11mm Square.

PMTC1580 £7.55



#### 100PC SPECIALITY BIT SET

This is the most comprehensive bit set you'll find, and covers every eventuality vou may come across. It includes 95 different bits. 2 Bit Holders. 2 Extensions and 1 Wing Nut Driver, all packed in a blowmould case. The Bits are manufactured from the highest quality industrial tool steel and the Bit types include. Clutch Torque Set. Triple Square, Tri-Wing, Square Recess, Spanner, Slotted, Phillips, Pozi-Drive Metric Hex Fractional Hex Tamperproof, Torx and Torx Tamperproof.

PMD9675 £15.00

#### AIR HOLDER FITTING SET

#### PMD2110 £3.22

This inexpensive tool enables fast overhead valve repairs without removing the cylinder head. Two sizes will fit 14mm and 18mm spark plug holes. The fittings are threaded to accept a 1/4" air hose coupling.

#### **BADIATOR CAP PLIERS**

The specially shaped pliers easily engage the radiator cap for guick and safe removal. It fits all standard radiator caps. The tool is made of solid steel and has vinyl grips for comfort and safety.

#### PMD7045 £10.13



## FAN BEIT TIGHTENER

#### PMD2705 | £8.68

This is a simple Tool that makes belt tightening an easy one-man operation. It will work on most alternators and other belt driven units. The special curved design hooks around alternators to lock into position. Use with a 1/2" drive tool.

CRANK STOPPER PMD2105 | £8.68

SQUARE DRAIN PLUG

PMD2577 | £8.68

This S-type wrench allows the

mechanic to access hard-to-

reach areas. such as Transfer

Cases, Engine Oil Pans, Manual

Drain and Fill Plugs found on many

Transmissions and Differential

makes of vehicles

WRENCH - 8 & 10 MM

The 14 mm threaded bolt, bolts into the spark plug port to lock the engine in place to allow for the removal and installation of timing chains, timing belts or harmonic balancer pulleys. The soft brass end protects the piston from any damage.

#### SERPENTINE BELT TOOL KIT

The kit releases the tension on belts with spring-loaded idler pulleys. The extra long handle 23" (59mm) reaches where ratchet-type and standard tools won't. Extension bars create multiple working angles. This kit includes the following sockets and wrenches:-13. 14. 15. 16 and 18 mm – 6 Point Sockets 13, 14, 15 mm – Crows Foot Wrenches 3/8" and 1/2" Male Square Sockets.

PMD2700 £43.50

42

#### **ENGINE & TRANSMISSION**





**BADIATOR FLUSH KIT** 



#### MAGNETIC PARTS DISH

Powerful magnets hold the dish and contents in any position – even upside down!! Soft, resilient base protects painted surfaces from being scratched. Stainless steel dish measures  $1-1/_8$ " (28 mm) deep by 6" (152 mm) across.

PM14400

£7.97

FUEL INJECTOR HARNESS DISCONNECTOR TOOL

This tool quickly removes and installs fuel injector harnesses without damaging the connectors. It saves time as there is no need to remove engine components to test the fuel injectors.

It is easy to use, all you have to do is place the prongs around the injector harness and pull up to disengage the retaining clip. The tool is designed to reach the fuel injector harnesses in hard-to-reach areas, and at any angle. It works on all fuel injectors.

PM37550 £7.45

#### FUEL/AIR-CON/HEATER DISCONNECT TOOL 8PC



For separating fittings on fuel and cooler lines. Offset design allows for better access in confined or obstructed areas. One handed operation. Presented in anodised aluminium in a blow mould tray labelled with AF and Metric sizes. Sizes: 1/2"/13mm, <sup>5</sup>/<sub>8</sub>"/16mm, 3/4"/19mm, 7/<sub>8</sub>"/2.5mm.

PMTC4254 | £52.68

#### ENGINE CHAIN HOIST

28" (710 mm) long, heavy-duty chain assembly, helps lift engines and heavy parts up to 1000 pounds (455 Kg). Manufactured from heat-treated alloy steel, the centre ring is 3/8" (9.5 mm) 0.D. and the links are 1/4" (6.4 mm) 0.D. and sing ends are 1/4" (6.4 mm) thick.



#### STEERING WHEEL HOLDER & PEDAL DEPRESSOR

An innovative and labour saving tool eliminating the need for two technicians to do one job. It holds the steering wheel securely when working on toe in/toe out work or when centering the steering wheel.



As a pedal depressor it has even more uses including for tune-ups, brake jobs, fuel injection cleaning, alternator testing, clutch work, engine diagnoses, setting of the RPM, air conditioning work and more. The tool is easy to assemble and install. Fine adjustments are no problem. Fits all cars and trucks it is a must for all garages and D.I.Y'ers alike.

Packed in a plastic case the tool is coated so as to prevent slipping or marking and comes complete with full instructions. See illustrations below.

#### PM66400 | £27.50



#### FILTERMAG - A REVOLUTIONARY DEVELOPMENT IN OIL FILTRATION TECHNOLOGY

FilterMAG specifically catches and holds steel particles, down to two microns, which an engine sheds continuously and which a normal oil filter cannot catch as most standard filters only hold particles down to 25 microns. Particles smaller than 25 microns pass through the filter element and many of these are hardened steel which cause most of the damage to the engine.

FilterMAG is the simplest and one of the most effective ways to prolong oil and engine life. It consists of a series of extremely powerful neodymium magnets housed in a durable long lasting and slightly flexible housing that snaps onto the outer casing of the filter element. The flow of oil continues normally and is not affected in any way by the magnets that remove and hold the sharp steel particles against the side of the filter canister for the entire time that the filter element is in use. Once removed the FilterMAG is taken off the used element and installed on the new one.

Independent tests have shown the effectiveness of Filter/MAG in reducing wear by controlling and limiting steel particulate proliferation to such low levels that the wear is virtually immeasurable. Other magnetic products such as magnetic drain plugs do not have the force needed to hold particles in the oil flow. Any debris captured by these products collected after the engines stops, are just re-circulated once the engine starts up again.

FMSS250	(63-70 MM)	£20	0.00
FMSS300	(70-87 MM)	£2	2.00
FMSS365	(87-99 MM)	£2-	4.00
FMRA300	(70-87 MM)	£4	5.00
FMRA365	(86-108 MM)	£6	0.00
FMRA450	(108-140 MM)	£6	8.80
FMTM180	(7.5 X 5 CMS/THICKN	ESS: 11 MM)	£21.80
FMTM360	(8.3 X 7.5 CMS/THIC	KNESS:11MM)	£39.24



#### **GENERAL TOOLS**

#### DIESEL INJECTOR PULLER

Diesel Injector Puller with M8/M12/M14 adaptors. Assists removal of stubborn Bosch and Lucas diesel injectors. Presented in blow moulded case for handy storage. Saves time and money when injectors are difficult to remove.



PMTC4044 | £40.00

#### FUEL INJECTION SEALS AND AIR CONDITIONING KIT

Easily repair air conditioning systems or fuel injectors with this one simple kit.



- Contains brass Schrader valve cores, black rubber O-ring and seals, and a valve tool
  Valve tool fits R134a (1/4" diameter) and R12 (0.175" diameter) valves
- Valve tool small end also fits vehicle and bicvcle tire valves.

Contents: (12) Schrader valve cores with red vinyl seals, (12) black rubber O-rings, (4) black rubber seals and (1) valve tool. Valve tool dimensions:  $2^{-15}$ /<sub>16</sub>" L x <sup>3</sup>/<sub>8</sub>" diameter.

PMHF66896 £7.80

#### OIL DRAINER 10L

PMTC4420 £7.50

For collecting and storing waste oil. A handy design which enables the waste oil to be disposed of without transferring it to other containers.



#### CHAIN BREAKER

Essential tool for use on 420, 428, 520, 525 and 530 chain. First bolt locks chain in place while second bolt turns to drive pin completely through the link. Folding handle for easy storage. PMD8480 £18,20

#### 3 PC METRIC FLARE NUT SPANNER SET

Forged from chrome vanadium alloy steel for maximum strength and durability. Sizes: 10 x 12 mm, 13 x 14 mm and 15 x 17 mm.

PMA860 £8.18

#### 3 PC SAE FLARE NUT SPANNER SET

Forged from chrome vanadium alloy steel for maximum strength and durability. Sizes:  $3_{/8}$ " x  $7_{/16}$ ",  $1_{/2}$ " x  $9_{/16}$ " and  $5_{/8}$ " x  $^{11}/_{16}$ ".

PMA850 £8.18



Excellent technicians' aid providing a fast method of locating and identifying trouble in engines and other moving parts. Includes a 12 inch extension probe to reach all suspected trouble spots.

PM32000 £15.99

#### ELECTRONIC STETHOSCOPE

Pinpoint engine and chassis noises for easier troubleshooting.

- Advanced design is more sensitive, covers a wider range of frequencies (100 Hz to 10 kHz)
- Volume control
- Padded ear phones
- 11" long reach probe plus 2" prove for tight spots.

Runs on 9V battery, included. Comes with carry case.

PMTA32100 £77.00





This famous UNIBIT drill is an excellent aid for auto body and general automotive work. Drills though metal and plastic and has 13 hole sizes in 1/32" increments from  $1/_8$ " to  $1/_2$ ". The initial  $1/_8$ " step starts holes through solid material. Each step drills up to  $1/_8$ " thickness. Made of high-speed steel. Non-slip,  $1/_4$ " shank fits all drills.

PM15000 £24.88

#### HOSE PINCH-OFF PLIERS

Clamps hoses and vacuum lines with special swivelling jaws that maintain a parallel clamp. Features built-in ratchet mechanism that locks handles in position.

PM8800 £9.00



#### **GENERAL TOOLS**





Sizes: T10, T15, T20, T25, T27, T30, T40, T45 and T50

PMA959 £5.14



#### IMPAC WRENCH KIT

Loosens rusted screws, nuts and bolts. Use with hammer to provide maximum torgue action. Kit includes 3/8" square drive tool, hex bit adaptor and four hex bits · 9/32" and 5/16" slotted Nos. 2 and 3 Phillips.

£25.52 PM9311

#### TUBE CUTTER - LARGE

Cuts steel, aluminium, plastic, brass or copper tubing from 1/8" to 11/8" (3 mm to 29 mm) O.D. Features large adjustment knob and two hardened cutting wheels (one stored in body of tool). Reamer is also built into tool

PM9176 £12.30

## HEX BIT SETS - METRIC & S.A.E.

Bits packed in vinvl rails. Includes 2 square drive bit adapters. PM8400

SAE Sizes: <sup>3</sup>/<sub>32</sub>", <sup>1</sup>/<sub>8</sub>", <sup>9</sup>/<sub>64</sub>", <sup>5</sup>/<sub>32</sub>", <sup>3</sup>/<sub>16</sub>", <sup>7</sup>/<sub>32</sub>", <sup>1</sup>/<sub>4</sub>", <sup>5</sup>/<sub>16</sub>", <sup>3</sup>/<sub>8</sub>" £13.93

#### PM8450 METRIC: 2, 2, 5, 3, 4, 5, 6, 7, 8, 20mm £13.93



# 4 PC 12-POINT WRENCH SET



Fits 12-point 'serrated' fasteners found on many makes of vehicles fitted to engine head bolts and oil pump retaining bolts.

£6.95 PM9280

#### TUBE CUTTER - MINI

Cuts aluminium, plastic, brass or copper tubing from 1/8" to 5/8" (3 mm to 16 mm) O.D. Ideal for use in close quarter work or confined spaces. Features hardened cutting wheel and adjustment knob to change working diameter.

PMA975 £4.68



### DOUBLE FLARE TOOL SET

#### PMA974 £32.85

Double flares soft steel tubing up to .040 (1 mm) wall thickness. Single flares soft copper, aluminium and brass tubing. Includes hardened bar assembly with seven threaded dies -(1/2", 1/4", 4.75mm, 5mm)6mm. 8mm and 10mm) - voke with swivel tip and



sliding T-bar and seven double flare adaptors (same sizes as dies). Set is packed in heavy blow-mould box and includes instructions



#### UNIVERSAL BEARING PACKER

Services all automotive bearings by placing the bearing between the plastic cones. Tighten and force the grease through the fitting on the end of the shaft.



#### WIRE STRIPPER 5-IN-1

Superior to all other tools on the market, this 5-in-1 electrical tool cuts wire, crimps solderless terminals, strips 10 to 22 gauge wire, cuts bolts and works as pliers. Also features a 7-8 mm Auto Crimp. Constructed from heavy gauge alloy steel and featuring a thick plastic grip OAL 8" (200 mm).

£10.25 PMA847

#### MULTI-GROOVE TUBE BENDER

Bends <sup>3</sup>/<sub>16</sub>", <sup>1</sup>/<sub>4</sub>", <sup>5</sup>/<sub>16</sub>" and <sup>3</sup>/<sub>8</sub>" (4.8, 6.4, 7.9 and 9.5 mm) diameter tubing without kinking or collapsing. Machined aluminum head is mounted to steel handle with vinvl grip, OAL 61/2" (160 mm).

£7.36 PM9170



#### ELUID TRANSFER TOOL

#### PM3150 | £3.25

Much more resistance to automotive fluids than an ordinary turkey baster, this bulb type tool is useful for emptying brake master cylinder reservoirs during fluid service, adjusting the level of distilled water or electrolyte in batteries. cleaning out carburettor bowls etc. Large long-lasting rubber bulb and long, rigid plastic nozzles.



#### GENERAL TOOLS



THREAD RESTORING FILES

an essential tool

SAF PM8233

Restores damaged threads on bolts and shafts. Ideal

for capture threads and threaded components where

cost of replacement or lack of availability makes this

£9.01

#### **GENERAL TOOLS**

#### MAGNETIC PICKUP TOOL WITH **BENDABLE SHAFT**

Comes with a bendable shaft that holds its position and can pick up to 2 lbs (.90 kg) at 18" (450 mm) or 11/2 lbs (.68 kg) at 21" (540 mm). This tool is invaluable for picking up metallic objects such as tools, parts, nuts and bolts where fingers or other pickup tools cannot reach.

£9.35 PM9439



#### PBO TOUCH MICBO PAINT BRUSH PK25

Place or remove the smallest drops of paint, cleaners or lubricants with ProTouch's small non-linting. nonabsorbing fibres. The handle bends to any angle. Clean paint gun nozzles and air passages without risk of damage to gun parts.

£5.90 PM9437



#### STUD EXTRACTOR 1/2"D

Impact stud extractor, fully adjustable and can be used with

air tools or standard hand tools on 6-12mm studs. Will effectively work on threaded, broken, rusted, stripped or smooth studs.

£13.21 PMTC3986



#### NUT SPLITTER PORTARI E WORK-CHAMOIS DEMISTER PAD/SPONGE BENCH Splits rusted or seized nuts up to <sup>3</sup>/<sub>4</sub>" (19 mm). The off-set design Folds up for easy storage and Polyurethane sponge wrapped in of the Nut Splitter improves genuine leather chamois wipes has a weight carrying capacity of accessibility which is made from 227 ka. away moisture on windows without forged steel and incorporates a leaving streaks. swivel head for firm location of nut £51.81 PM85800 Use with 3/4" hex drive tool • Use on any surface for a lint-free shine PM9015 £8.94 • Dries quickly Stores away easily in your vehicle £4.50 PMHE97776 PRECISION OILER PISTOL TYPE OILER MAGNETISER/ DF-MAGNETISER A professional oil can suitable for For use on precision parts, power all liquid dispensing applications. tools, model air planes/cars, hinges, This handy little gadget is ideal sewing machines The body and pump are 100% if you wish to magnetise or etc. steel for extra strength and superior demagnetise small tools such as performance, complete with flexible screwdrivers. To magnetise just spout. pull through centre hole and to de-magnetise run tool over the £3.81 outside groove. **PMA793** PM099320 PMTC3401 £3.91 £5.70 WHEEL STEP **BITMAN BIT SET 33PC** • Use these portable "steps" to An innovative plastic case holds 32 x S2 guality access hard to reach places tamperproof bits and a quick chuck. like engine compartments, van roofs and truck tops Sizes: • Fits 14" - 20" tire to provide Star T9/T10/T15/T20/T25/T27/T30/T40 Hex 1.5/2/2.5/3/4/5/6mm added height Will adjust to three positions Flat 3/4/4.5/5/5.5/6/6.5mm vertically PzDrive Pz1/Pz2x3, Pz3 Folds for storage. Phillips Ph1, Ph2x3, Ph3 £26.00 £7.00 PMTA19600 PMTC4308

PM099635

#### GENERAL TOOLS



#### **GENERAL TOOLS**



ETCHIT ELECTRICAL MARKING PENCIL

#### **GENERAL TOOLS**

#### WASHABLE SEAT COVER

Protects the seat while working on the car. Allows the side airbag to activate in cases of emergency. Washable.



PM24700 £29.78

Etch-it Pen uses vibration to write like a pencil. Just connect it to a 6 or 12

and brands metal permanently, so it is perfect for identifying tools, dies and

volt battery or transformer, and you're away. Held lightly and vertically, it etches

#### HOG RING PLIERS

These Hog Ring pliers are complete with automatic feed, which makes them ideal for continuous connections with a single handed operation.

The preformed strips of 50 Hog Rings (Size 07) feed easily into the tool making it deal for fencing/bird pens/sealing bags/fixing tags to plants/re-upholstery plus numerous other uses in construction/industrial/plant nurseries/ upholstery and Classic cars etc.

PMTC4591 PLIERS PMTC4592 500 HOG RINGS £24.00 £3.90

equipment.

#### LEAK DETECTION KIT

The leak detector is the best method for pin pointing the exact location of a fluid leak in a automotive engine or transmission system. Auto-lock On/Off. 5 bright LEDs gives 60 hrs durable power.

PMTC3756 £35.65



#### SAFETY HAMMER

Agriemach's new Safety Hammer is the ultimate escape tool designed to get you out of your seat belt and out of your car in the event of an emergency and should also be a serious consideration for the home break windows in case of fire. Constructed with a recessed razor to cut the seat belt and a double headed hammer to break the window allowing for a quick and possibly life saving exit.



#### 12V IMPACT WRENCH

A smart cased set, and the gun feels substantial enough to handle the impressive torque output. It certainly had no problems dealing with our test nuts. You also get two double-ended impact sockets – catering for 17mm, 19mm, 21mm and 23mm sizes – plus a spare fuse.

#### PMTC3778 £36.79



#### DIGITAL VERNIER CALIPER

Manufactured from hardened and tempered stainless steel with large LCD display. With Metric/ Imperial option, zero setting, on/

off switch, locking screw plus internal and external measuring jaws. Presented in blue plastic storage case. A handy conversion is printed to the reverse of the tool.

PMTC4263 £25.00

#### T-HANDLE DEEP SOCKET

One of the most popular sizes for servicing fasteners on motorcycles, ATVs and ATCs. Total length of shaft and socket is 12" (30cm) for deep reach. T-handle slides for quicker use. Fully plated.

 PMD8470
 £7.15

 PMD8475
 £7.15







#### **GENERAL TOOLS**

£7.99

12.80



#### **GENERAL TOOLS**



£4.80

#### PAINT & BODY SHOP

#### TAIL PIPE CUTTER

Easily cuts through pipes by exerting gripping pressure. Cutting chain wraps around pipe and a micrometertype knurled handle is turned to apply pressure. Features 14 carbide-cutting wheels with spacers for superior tracking. For pipes from 3/4" to 3" (19 mm - 76 mm).



#### **BUBBER SUCTION CUPS - 6"**

These suction cups are used to pull out sheet metal panel dents on doors, bumpers and bonnets. The steel handle and reinforced steel support plate allows for maximum pull. Suction is easily released by lifting the lipped edge.



#### PRO BLOCK SANDING BLOCK

New level of holding and working capability with the exclusive thumb grip; control the block as never before, even when wet sanding. No finger grooves when sanding. 45 degree angle combines with the soft rubber and unique spring core steel to make an exceptional material spreader



WHEEL MASKERS Maskers protect tyres and wheels from oversprav and are quick and simple

to fit: saving time, effort and cost in having to mask the tyres and rims before sprav painting commences. Packed in a set of 4 one size fits all tyres to 15 inch. Made of heavy duty canvas and securely locked in place by spring wire the

maskers can be used over and over again. £29.99 PM89950

NIB FILF



These files remove imperfections on paint jobs, such as dirt and runs, without respraving. Saves hours of labour. Made from high quality precision ground material assuring you of uniform results without gouging. They are easy to use and require no special skill. Suitable for work on both primer and top coats. use coarse nib file for heavy imperfections and fine nib file for tiny imperfections. These files must only be used on dry paint surfaces.

PM89790 FINF £13.99 PM89780 COARSE £13.99

#### PRO PICK - UI TRA FINE TWEEZERS

Save fresh paint jobs by removing lint, dirt, insects or hair. Easily cleaned, non-corroding stainless steel instrument. Angled tip for best viewing of particle during removal. Each tip is hand ground to .010 of an inch.



PBO TOUCH MICBO PAINT BRUSH PK25 SANDING PEN Place or remove the smallest drops of paint cleaners or lubricants with ProTouch's small non-linting, nonabsorbing fibres. The handle bends to any angle. Clean paint gun nozzles and air passages without risk of damage to gun parts. £5.90 PM3437 PM9437 UNIBIT DRILL £24.88 PM15000 This famous UNIBIT drill is an excellent aid for auto body and general automotive work. Drills though metal more and plastic and has 13 hole sizes in 1/32" increments from 1/8" to 1/2". The initial 1/8" step starts PMD5400 holes through solid material. Each step drills up to 1/8" thickness. Made of high-speed steel. Non-slip, 1/4" shank fits all drills. PORTABLE WORK-WINDSHIFLD STRIP TOOL BENCH For inserting the locking strip Folds up for easy storage and around windshields and other has a weight carrying capacity of windows on most cars. Features 227 kg. two strip sizes and large handle. £51.81 PM85800 £4.50 PMD5200

# PREP PEN - ADJUSTABLE

Effectively removes surface wax and road film to prepare chips for permanent paint bond. PrepPen's 20,000 glass fibres remove rust where abrasives can't, but won't damage paint, glass or chrome. Cleans electrical contacts too. Comes with extra long-lasting refill cartridge inside handle. Refills available in pack of two.

#### £6.75



Ideal for use on all European makes of cars and most others. There are 9 sets of specially shaped tools. which will service Blaupunkt, Becker, Grundig and

£28.99



RETRACTABLE RA70R SCRAPER

All metal case and brass control knob, with three position locking retractable blade holder. This sleek, pocket sized scraper is also designed with a hanging hole for convenient storage and comes complete with a box of 5 standard industrial blades.

£3.00 PM9960

65

PM7437

£12.30

**PAINT & BODY SHOP** 

#### WASHABLE SEAT COVER

Protects the seat while working on the car. Allows the side airbag to activate in cases of emergency. Washable.

PMTC3007 £8.31



#### TAPERED REAMER

This is an excellent tool for the body shop and workshop. The tool reams and debuors, aligns and enlarges holes from 1/8" to 1/2" diameter. This steel tool has a 3 1/2" (89 mm) long blade with a comfortable plastic handle.

PMD9988 £16.65



**RIGHT ANGLE BRUSH** 

for most cleaning applications.

PM099635

Can be used on battery terminals,

or hard to reach corners etc. Handy

£2.12

#### JUNIOR SLUGGER DENT PULLER

The finest shop engineered heavy-duty slide hammer with 3 lbs. slide weight. Features a soft vinyl "Hang-it" handle grip for easy storage and shock cushioning. Special wide aircraft steel body hook, used to pull curls and creases in guarter, rocker, back and door panels. "L" shaped hook, broached nose cone, two jam nuts and two hardened pulling screws are supplied. Designed for the professional body technician. Total weight is 5 lbs. Nose cone and shaft threads are 1/2" - 20.

£17.00 PMTA81500



#### UNIVERSAL ANTENNA WRENCH

Unique design allows service of six different antenna nuts on all vehicles. No need to buy expensive sockets. Hardened and plated for durability.

£5.71

PMA572



#### SHEET METAL SNIP AND WIRE CUTTER

Cuts steel aluminium, brass, copper and plastic sheet or tubing accurately without distortion. This snip will make curved or straight cuts and needs less effort to use than conventional shears. It also eliminates burrs and curling when cutting sheet metal. By drilling a 1/4" hole you can start cutting in the centre of the plate. Another excellent feature is the handy wire cutter built into the tool and will cut steel wire and electrical wire with ease.

PMTA16900

£14.25

#### SPEED TAPE

TD060101	BLACK - 2" X 90 FT	£4.60
TD060102	WHITE - 2" X 90FT	£4.60
TD060103	RED - 2" X 90FT	£4.60
TD060104	BLUE - 2" X 90FT	£4.60
TD060105	YELLOW - 2" X 90FT	£4.60
TD060106	PURPLE - 2" X 90FT	£4.60
TD060107	GREEN - 2" X 90FT	£4.60
TD060108	ORANGE - 2" X 90FT	£4.60
TD060202	CHECKER-BOARD - 2" X 45FT	£4.60

Speed Tape has multiple uses including race applications, temporary damage repairs, taping body seams to name a few. Speed Tape tears straight and easy every time and is available in eight colours as well as the popular checkered board. 2"x 90' Rolls ( except Checker-board 2"x 45').

#### 5 PC AUTO BODY UPHOI STERY REMOVER KIT

This kit will give you every width, shape and angle to remove all types of automotive plastic fasteners, mouldings and parts. Lightweight but strong, the all-plastic body will not mark or damage interior parts of the vehicle







It only takes a few seconds to easily and safely remove upholstery and trim clips on doors and dashboards and consoles. This tool will not mar panel surfaces. The universal design removes both plastic and metal clips of various shapes and sizes. Eliminates broken fasteners. An easy to use tool with a contoured handle, rust resistance zinc plated shaft and of rugged construction. Ideal for use on both cars and trucks.

#### PMTA87810 £5.20

#### **PAINT & BODY SHOP**





#### **PAINT & BODY SHOP**


#### SUSPENSION

IMPACT

PM9311

# **SUSPENSION**



BALL JOINT/ TIF ROD SEPARATOR

Separates tie rod ends from steering knuckles, idler arms and Pitman arms. Prevents damage to steering components that result from other removal methods. Made of heat-treated allov steel forging with knurled handle.

£4.88 PMA410

# BEARING BACE AND SEAL DRIVER SET

The set allows for fast and easy installations of bearing races and seals. Included are 9 Drivers plus an installing tool to meet most fitting requirements all packed in a Blow moulded case.



£48.57



For easy removal of Tie Rods on most front wheel drive vehicles including SUV with rack and pinion steering. The swivel tipped forcing screw allows for easy alignment to the rod stud preventing damage.

£20,50 PMDA412

# AEROSOLS

# SUSPENSION

# STEERING WHEEL AND LOCK PLATE SERVICE KIT

This complete kit will service most steering wheels including Telescopic Tilt columns. The kit will also enable the servicing of the turn signal switch and S.I.R. modules on G.M. vehicles. Set includes 5 sets of cap screws:-

 $\frac{3}{7_8}^{"} - 16 \times \frac{3}{2}^{"}$   $\frac{5}{7_{16}^{"}} - 18 \times \frac{3}{2}^{"}$   $\frac{5}{7_{16}^{"}} - 24 \times \frac{3}{2}^{"}$   $M8 - \frac{1}{25} \times 90 \text{ mm}$   $\frac{5}{7_{15}^{"}} - 118 \times 4 \text{ (SIR)}$ plus Yokes, Metric and SAE Lock Plate Adaptors and Washers all packed in a Blow moulded case.



#### GREASE FITTING SET METRIC (8PC)

This 8-Pc grease fitting set is made from heat-treated, yellow zinc plated steel for an extra long life. Contains:- 4–M6 x 1 straight, 2– M6 x 1 45° and 2–M6 x 1 90°.

PMD7780 £2.88



# 5-PC PICKLE FORK KIT

PMD1500

This completes set of forks is ideal for separating Ball Joints, Tie Rods and Pitman Arms, Manually or Pneumatically. Included are 3 pickle forks with  $^{11}/_{6"}$ ,  $1.5/_{16}$  and  $1.1/_{16}$  openings and two handles, one knurled for manual use and one smooth for pneumatic use. The kit is packed in a Blow moulded case and will satisfy most needs.

£33.30

£40.60



PMD4018

# GREASE FITTING UNCLOGGER

The new revolutionary grease fitting unclogger opens up stuck grease fittings allowing neglected steering, suspension and driveline joints to benefit from fresh grease being applied.

This is an essential tool for automotive, marine, agricultural and earthmoving equipment workshops and their fitters catering for both mobile and workshop applications. This tool works by injecting a light viscosity oil into the grease nipple or joint, thereby breaking up and removing any dirt, rust or dried up grease.

This then enables the grease nipple or joint to be properly greased. The Professional model is supplied with a flexible auxiliary hose for hard to reach applications.

£45.76 £27.00

Supplied with full user instructions.

PM2900 PROFESSIONAL PM2905 POCKET SIZE



# EXHAUST WRAP HIGH TEMPERATURE PAINT

Preserves and protects exhaust insulating wrap after it has been installed. Extra resins and binders toughen the surface and help extend the life of the wrap by protecting it from friction and seals the pores to minimise the penetration of liquids and reduce the harmful effect of spills.

A range of quick drying very high temperature paints suitable for use on exhaust manifolds, engine blocks, brake drums, brake calipers and pipes. Resists temperatures up to 650°C/1200°F.

T12001	BLACK HIGH TEMP PAINT - 400ML	£6.86
T12002	SILVER HIGH TEMP PAINT - 400ML	£6.86
TIS331	WHITE HIGH TEMP PAINT - 400ML	£6.86
TIS332	RED HIGH TEMP PAINT - 400MI	£6.86
TIS333	BI UE HIGH TEMP PAINT - 400MI	£6.86

PMR244	GLASS & MIRROR CLEANER - 400ML	£2.89
PMR201	CARBURETTOR CLEANER AEROSOL 400ML	£3.63
PMR202	BRAKE CLEANER - 400ML	£4.25
PMR271	TYRE DRESSING - 400ML	£4.16
PMR203	ENGINE DEGREASER - 400ML	£4.10
PMR204	BATTERY TERMINAL PROTECTOR - 400ML	£5.25
PMR227	DE-ICER - 400ML	£3.05
PMR272	ALLOY WHEEL CLEANER	£5.00
PMR206	DASHBOARD RENOVATOR (LEMON) AEROSOL	£3.86
TR210	HEAVY DUTY ADHESIVE - 400ML	£4.50
PMR211	CLEAR FINE OIL AEROSOL - 400ML	£4.30
PMR212	CLEAR PENETRATING OIL AEROSOL - 400ML	£3.38
PMR213	MAINTENANCE SPRAY - 400ML	£4.00
PMR214	CUTTING, TAPPING AND DRILLING SPRAY - 400ML	£4.90
PMR221	SOLVENT BASED ANTI SPATTER - 400ML	£3.90
PMR223	WHITE GREASE - 400ML	£4.85
PMR224	GALVE SPRAY - 400ML	£7.29
PMR234	COPPER ANTI SEIZE - 400ML	£6.45
PMR237	PTFE DRY FILM LUBRICANT - 400ML	£5.90
PMR241	PRESSURISED AIR DUSTER - 400ML	£11.00
PMR250	BARRIER CREAM - 400ML	£4.65

# SURFACE CARE & RUST PREVENTION

# **SURFACE CARE & RUST PREVENTION**

### BILT HAMBER - AUTO-BALM 300ML

Auto-balm is a unique product providing protection and gloss to automotive paintwork and car bodywork. It is the result of thousands of hours of development and testing - a blend of synthesised complex corrosion inhibiting molecules that lock together tighty enabling them to remain functional in ultra-thin, high gloss films. Auto-balm will seal capillary pores in paintwork and provide an anticorrosion barrier to stone-chips and other damaged sites on vehicle paintwork.



PMBHAB £12.72



# BILT HAMBER - AUTO CLAY

Auto-clay provides a method of removing harmful contamination from vehicle paint finishes, improving its durability and increasing the gloss level of subsequent waxes. Contamination can consist of tiny metallic particles from rail dust, brake dust and industrial fallout; or nonmetallic substances such as tree sap, bird droppings or insect residue. It affects all paint finishes and can cause serious

damage when left untreated. Surprisingly, even brand-new cars and trucks can suffer from paint contamination.

PMBHAC £8.47

# BILT HAMBER - AUTO WASH

Bilt-Hamber Auto-wash is a new technology, highly powerful, environmentally friendly vehicle shampoo, formulated and manufactured to allow you to effortlessly, gently and effectively clean your paintwork before waxing with our highly acclaimed Autobalm. Auto-wash is anti-corrosive to bare steel too, ideal for owners of older vehicles which

may have stone chips or exposed areas of mild steel. The highly concentrated formula means that less is needed to add to your water. 60 Washes.

BILT HAMBER - LAMBSWOOL MITT



# BILT HAMBER SURFEX HD DEGREASER

Bilt-Hamber Surfex HD provides performance levels that match and even exceed solvent systems while meeting the latest standards of biodegradability.

Surfex HD attacks all oil and grease based soiling, but unlike solvent based cleaners will additionally and effortlessly clean organic, or water deposited grime.



# BILT HAMBER - HYDRATE 80 RUST CONVERTER

Traditional paints and coatings applied to corrosion give disappointingly short-lived performance because they simply hide the underlying and continuing corrosion - the failure is first seen by blistering of the coating and the rapid breakthrough of rust. Hydrate 80 provides powerful protection to rusted steel surfaces, its electrochemical function stabilises existing corrosion by converting the iron oxides into a protective metal complex, it also combines with surface moisture and oxygen depriving the corrosion process of the conditions it requires.



# BILT HAMBER - DEOX-C RUST REMOVER POWDER 1kg

Deox-C is a crystalline, 100% active corrosion removal product formulated for the removal of corrosion products from steel, stainless steel and most ferrous materials. This product when dissolved in tap water.





PMBHDG £8.04

BILT HAMBER - DEOX-

GFI (GELLED RUST

Deox-Gel is a viscous, highly

thixotropic, rust remover, designed

for corrosion removal on surfaces

or objects too large to submerge

in a bath of Deox-C. Along with the

viscosity builders and preservatives.

the active agents in Deox-Gel

are harmless, non-toxic and

biodegradable.

REMOVER) 1L

# BILT HAMBER-DYNAX S-50 ANTI CORROSION WAX

Dynax S50 is a highperformance anti-corrosion wax that provides exceptionally long-lasting protection to steel surfaces. It creeps into welded seams and seals surface defects. Dynax S50 forms a soft, brown, wax-like film that self-heals in the event of disruption. It is also able to arrest existing corrosion and to provide longterm protection to pre-corroded and corrosion-free surfaces.



PMBHDS-50 750ML ANTI CORROSION WAX £11.O2 PMBHDS-50-5L 5L ANTI CORROSION WAX £34.OO

76

# **SURFACE CARE & RUST PREVENTION**



# DE-BUG<sup>™</sup> (Diesel Bug Killer)

The DE-BUG decontaminator is the tested and proven way to protect and rid your engine of unwanted sludgy microbial contamination or diesel bug in your fuel.

De-Bug Units are static magnetic inline device that create an optimum magnetic flux field directly responsible for destruction of the cell membrane. Exposing the microbes to a strong, changing magnetic field will ensure maximum destruction of the cells. The debris stays randomly suspended in the fuel and due to their sub-micron size easily pass through engine components and burn up with the fuel.



• Fuel types: Diesel fuel, marine

diesel, light oils and gas oil

140 litres/hour

Recommended Flow rate: Up to

Engine ratings: Usually up to 100 hp





• Fuel types: Diesel fuel, marine

Engine ratings: 100 hp to 300 hp

· Recommended Flow rate: Up to

diesel, light oils and gas oil

500 litres/hour.

- DSI 1000 11000 £327.00
- Fuel types: Diesel fuel, marine diesel, light oils and gas oil
- Engine ratings: 250hp to 600 hp Recommended Flow rate: Up to 1000 litres/hour.

# DEP SERIES TANK FILTER 1051 PM

The transparent vessel on the DEP Series Filter allows an ocular and instantaneous inspection of the diesel delivery and in the event of transferring liquid with impurities, these are retained between the filtering cartridge and the transparent vessel. The filter housing is fitted with a drain valve located at the bottom of the unit in order for the user to quickly drain off any water contamination. This filter offers 5micron particulate and water seperating filtration and comes complete with installation bracket and quick release filter change tool.

Only suitable for diesel fuel. Ports 1" BSP.

CDDFP105COMPLETE

£185.53

CDDEPONE105 5 MICRON REPLACEMENT FILTER

# £14.50



BACOB FUEL FILTER FUNNELS

Rugged construction

 Corrosion resistant Diesel and petrol use.



Four sizes, four flow rates
 Electro-conductive plastic material

· Teflon coated stainless steel filter

This new series of fuel filter funnels allow you to filter and separate the water from the fuel. It gives outstanding filtration with acceptable flow rates. The new RFF family of products are capable of removing water and solids down to 0.005 inches and allows you to visually inspect the integrety of your fuel supply as you refuel.

RFF 1 C	(SMALL) FLOW RATE: - 10 LPM
RFF 3 C	(MEDIUM) FLOW RATE: - 14.5 LPM
RFF 8 C	(LARGE) FLOW RATE: - 18.5 LPM
RFF 15 C	(NEW HIGH FLOW) FLOW RATE: - 55.5 LPM



# FUEL FILTRATION

# **FUEL FILTRATION**

# RACOR FBO TANK FILTERS

Racor Hydrocarbon Filters' new FBO-10 and FBO-14 filter assemblies were designed to meet the toughest hydrocarbon refueling conditions and give maintenance personnel ease of filter change outs.

The FBO Assembly can flow 38 lpm or up to 284 lpm depending on the unit, elements installed and fuels being filtered. The FBO assembly can be used on mobile refuelers or installed in refueling cabinets. The unit can also be used for diesel fuel dispensing pumps or as a primary fuel filter/water separator for large diesel engines.

The assembly features a "locking ring collar", which attaches the filter housing to the aluminum die cast filter head with four bolts. The slotted "locking ring collar" allows maintenance personnel to hand loosen the four collar bolts, rotate and lower the bowl assembly for element change outs. With new element installed, simply raise the bowl and rotate into position on the locking ring and hand tighten evenly.

The closure hardware consists of stainless steel nuts, bolts, and washers with metal hand knobs for ease of maintenance. No wrenches or other special tools required.





CDFB010DLP FB0 10 TANK FILTER INC SITE GLASS CDFB014DLP FB0 14 TANK FILTER INC SITE GLASS CDFB060328 FB0 10 5MICRON SEPARATOR FILTER CDEB060337 EB0 14 5MICBON SEPARATOR EILTER



# SUPERIOR PIPE THREAD SEALANT

£360.00

£410.00

£95.63

£102.79

# RACOR TURBINE FILTER SERIES

Racor Turbine Series Diesel Fuel Filters provide heavy duty, high capacity water separation and fuel filtration for many applications. Made of rugged, non-corrosive die-cast aluminum with a clear bowl designed for diesel fuel only.





Racor removes contaminants using a patented three stage process: Separation, Coalescing, Filtration.

CDA301501	500FG TURBINE - 3.78LPM	£121.67
CDA301505	500MA TURBINE C/W TRAY	£151.57
CDA301503	500MAM TURBINE - METAL BOWL	£159.07
CDA301602	900FH TURBINE - 5.68LPM	£166.11
CDA301606	900MA TURBINE C/W TRAY	£217.61
CDA301604	900MAM TURBINE - METAL BOWL	£255.23
CDA301702	1000FH TURBINE - 11.35LPM	£195.24
CDA301706	1000MA TURBINE C/W TRAY	£247.63
CDA301704	1000MAM TURBINE - METAL BOWL	£255.12
CDA301525	500MA DUPLEX 7.56LPM	£598.00
CDA301626	900MA DUPLEX 11.35LPM	£841.38
CDA301726	1000MA DUPLEX 22.71LPM	£856.05

# BACOB TUBBINE FILTER FLEMENTS

Racor Turbine Series Diesel Fuel Filters provide heavy duty, high capacity water separation and fuel filtration for many applications.			99
CDA301851	2MICRON FILTER FOR 500FG		£6.12
CDA301853	10MICRON FILTER FOR 500FG		£6.12
CDA301855	30MICRON FILTER FOR 500FG		£6.12
CDA301861	2MICRON FILTER FOR 900FH		£7.39
CDA301863	10MICRON FILTER FOR 900FH		£7.39
CDA301865	30MICRON FILTER FOR 900FH		£7.39
CDA301871	2MICRON FILTER FOR 1000FH		£8.56
CDA301873	10MICRON FILTER FOR 1000FH		£8.56
CDA301875	30MICRON FILTER FOR 1000FH		£8.56

# **FUEL FILTRATION**

# **FUEL FILTRATION**



We offer a system for almost any diesel cleaning application. At present the Agriepure range consists of three units with variable flow rates dependant on the requirement. Systems 1-3 have flow rates of 25 LPM, 35 LPM & 52 LPM respectively.

These systems are built with self cooling pumps and each system carries a 2 year manufacturer's warranty. The filters used are the best water separating media available on the market, filtering down to 2 microns.

- 100% effective in removing water from the fuel
- Remove dirt/sludge from the fuel
- With the aid of the biocide treatment, this will kill and remove DIESEL BUG in the tank
- Save the engine, reduce down time, man hours and cost.

Available with 110v or 240v operating pumps.

CDDEP10R SYSTEM 1 (25 lpm) flow rate CDDEP73R SYSTEM 2 (35 lpm) flow rate CDDEP77R SYSTEM 3 (52 lpm) flow rate



# RACOR DIESEL BIOCIDE FUEL ADDITIVE (DIESEL BUG KILLER)

Racor diesel biocide is a multi-functional fuel additive. It is used to help maintain colour stability and clarity. Racor diesel biocide can be used to eliminate and/or prevent the growth of bacteria and fungi. The superior formulation controls bacteria, fungi, organic reactions, sludge formation, and also acts as a corrosion inhibitor.

- Excellent for use with all forms of diesel/biodiesel
- · Formulated to treat more forms of algae and bacteria than other brands
- · Concentrated formula treats more gallons per ounce
- EPA approved as both a biocide and aftermarket fuel additive £28.76
  - storage

Alcohol free

BOCLE tested

microbial fouling · Fuel and water soluble

# **BACOR CONDITIONER PLUS+**

CDADT2116

Racor diesel conditioner plus+ is a multi-functional fuel additive for all seasons. Its formulation contains a cetene improver which enhances power delivery, starting and helps engines run smoother and guieter.

- Contains lubricity additive to reduce friction; prevents wear and tear, extending engine life
- Improved fuel economy and lower emissions
- Reduces injector coking
- · Improves starting and power

CDADT1116 £24.76





- Self priming diesel transfer pumps
- Internal gear electric pump for lubricants
- Nutating-disk meters for diesel with analogical register
- · Fuel delivery nozzles.

CALL 01342 713743 or VISIT OUR WEBSITE www.agriemach.com for further information.



83

 Does not cause foaming · Promotes fuel stability during

· Dissolves gum and varnishes to keep fuel system clean

Cetane improver for added engine performance

Treats 4500 litres of diesel.

· Prevents internal corrosion from

# **VEHICLE SAFETY PRIVATE & COMMERCIAL**

# SAFE DRIVING MONITOR

The Safe Driving Monitor<sup>™</sup> consists of a key fob (keychain LCD) and a sensor to display a driver's maximum speed, distance traveled and sudden braking. Employers can use The Safe Driving Monitor™ to monitor their employee's driving behavior.



£99.00 PMBOWDM

# ENGINE IDLE LIMITER

Agriemach understands the high costs associated with running a fleet and understand the long unnecessary idling times that occur which results in fuel consumption, engine wear and even more exhaust gasses being released into the atmosphere.

For these reasons, Agriemach have released this new engine idle limiter to assist in fuel savings, reduced engine wear and unnecessary emissions by shutting an engine down after a preset number of minutes of idling.

£175.00 PMBOW806



# TYRE TREAD DEPTH GAUGE

- This handy tool features large LCD display, zero setting and can switch from metric to Imperial measurements
- Simple ON/OFF with 1.5v SR44 battery included
- LCD will flash when the battery is low
- Range: 0-25mm
- Can also be used for brake shoe and pad wear.



# I ED BREAKDOWN WARNING SYSTEM

# Pencil Gauge (up to 50psi)

QUIK CHEK TYBE SAFETY KIT



HOW QUICK IS THE QUIK-CHEK: -

Spare Tyre.

If you replace all existing dust caps with these new ones and put the Quik-Chek key chain on your car keys, the test on each tyre will take seconds. All you have to do is place the Quik-Chek onto the dust cap and apply a little pressure and that gives you your reading. Easy.

£25.00 PMTPMS

 This waterproof and reflective Breakdown Warning Sign gives maximum visibility in emergency situations and is magnetic for fixing to vehicles etc.

- Evelets are also included for other situations and environments
- LED directional lights have three programed patterns
- Size: 750X300mm
- Ideal for broken down cars, wheel changes or for emergency recovery or breakdown services
- 4 x AA Batteries required.

£22.00 PMTC4264



# SPECIALIST PRODUCTS AVAILABLE

SMOKECHECK

INCIDENT DATA RECORDER

TACHOLINK MILLENIUM

TACHOLINK LITE

CALL FOR FURTHER INFORMATION



# **SPECIALIST INDUSTRIAL**



- The Precleaners are self-powered and selfcleaning, requiring no electrical or exhaust gas power to dispose of separated particles. They require virtually no maintenance and should be inspected occasionally to ensure that no foreign material has plugged intake or exhaust port areas.

# CLEAN AIR IMPURITIES

Dustbuster Engine Air Precleaners are usually installed in place of the rain cap, dust bowl, or aspirated precleaner

Outlet

In some applications, they can be mounted directly to the

Air enters the system through a pre-screen that removes large debris. It then flows through static vanes causing the air to spin. As the air spins, centrifugal force separates dust, dirt, insects, rain and snow from the air stream. The swirling air drives a high velocity rotor that acts as a blower evacuating contaminants through special discharge ports in the side, or bottom, of the unit. Only purified air flows to the air filter elements.



# SPECIALIST INDUSTRIAL

# CATALYTIC EXHAUST PURIFIER



 $\label{eq:MINE-X} \begin{array}{l} \text{MINE-X} \textcircled{\sc sc stalytic converters dramatically reduce carbon monoxide (CO),} \\ \text{hydrocarbons (HC) and exhaust irritants from diesel engine exhaust.} \end{array}$ 

This product is also available for order as a catalytic muffler, which is designed to replace the original equipment (OE) muffler.

# EXHAUST SOOT FILTER (FLOW THROUGH)

The MINE-X® Flow-Through Filter is a revolutionary flow-through diesel particulate filter that provides effective removal of diesel particulate matter and lower back pressure than conventional wall-flow particulate filters.

Reductions: Carbon Monoxide - up to 95% Hydrocarbons - up to 90% Particulate Matter - up to 60%

# WALL FLOW EXHAUST SOOT FILTER



# MINE-X SOOT FILTER diesel particulate filters effectively reduce particulate matter by 99.9% (particulate count) from diesel engine exhaust and are used to meet regulatory demands or simply improve the quality of the air.

#### **Certification:**

- United Kingdom: NRMM (Non-Road Mobile Machinery) Retrofit Programme - USA: CARB (California Air Resources Board)

- Switzerland: VERT (Reduction Of Diesel Emissions in Tunneling) - Japan: MLIT (Ministry of Land, Infrastructure and Transport)

# UGET 3 SOOT FILTER (CARTRIDGE TYPE)

UGET 3 is a dry particulate filter system capable of reducing up to 90% of carbon particles emitted from the exhaust of a diesel engine and it operates immediately from engine start-up.

The texture weave of the special fibre retains carbon particles from as small as 0.3 microns.

As the filter assembly acts as a silencer as well, there is no need for the muffler on the machine to be used and this can be discarded.

At the end of the filter cartridge life the back plate is removed to extract and replace it with a new one. Disposal of the used cartridge is straight forward as it is not classed as hazardous waste.

The life of the filter element is approximately 300-350 hours of use, depending on the condition and maintenance of the engine.



# SUPERTRAPP - SPARK ARRESTORS

The most compact and efficient spark arrestor available for their size.

Reduces noise and cools the exhaust gases as they enter the atmosphere.

Model 3S - Suitable for engines 2 - 50 HP (Approx. 1 disc per 3 HP) Recommended for engines to 10 HP where minimum exhaust noise is required and for larger engines where space is limited.

Model 5S - Suitable for engines 10 - 250 HP (Approx. 1 disc per 7 HP) Recommended for engines from 10 to 100 HP where minimum exhaust noise is required and for larger engines where space is limited.

Supplements an existing muffler where minimum exhaust noise is critical.



Full range of threaded and clamp-on infet sizes available





# PRIMARY RANGE SPARK ARRESTORS



Designed to act as a spark arrester/ silencer and can be used as a primary silencer for most industrial applications.

Twin centrifuge design for optimum spark arresting Good silencing (10d dB+).

Standard - All Stainless Steel construction. Optional - Mild Steel case/Stainless Steel internal parts.

# SCREEN-O-MATIC

Screen-O-Matic is a highly efficient, lightweight, durable unit that will help keep your radiator cleaner in severe operating conditions. The body, fan and front cover are manufactured from high impact ABS plastic while the frame and screen are man ufactured from aluminum. There is nothing to rust and the only wearing parts are readily available standard sealed bearings. Available in a variety of sizes to fit most applications.

# TURBO GUARD

Turbo-Guard eliminates turbocharger failure through oil starvation both at start-up and shutdown, which is the main cause of turbocharger failures. Turbo Guard is reliable, automatic and maintenance free, it will pay for itself over and over again - plus cut down frustrating delays and lost time - by eliminating the damage and expensive breakdowns caused by oil starvation.

Turbo-Guard is simply an add-on reservoir that prolongs the life of your turbo-charger by automatically correcting the lubrication lag that creates turbo problems. The Turbo-Guard provides immediate oil flow at engine shutdown and also at cold start, preventing bearings from running dry.

# HYDRAULIC FILTRATION

Hydraulic Oil Cleaning System - 40LPM (Variable)

230v Gear Pump with a 10Micron primary filter element leading to a 3Micron secondary element. Primary Element: HW51110 Secondary Element: A120G03 Suction Hose: 5m Delivery Hose: 5m Warranty: 2 Year CE Approved.

# ELECTRIC OIL PUMPS

Internal gear electric pumps for lubricants. 220 V, IP-55 protection motor with on/off switch. Cast iron pump body, sintered steel gears and by-pass valve.

Motor with mounting bracket, the pump can be mounted horizontally on a flat surface or vertically on a wall.

Some of our Pumps include an electronic pressure switch that automatically starts the pump once a delivery gun is opened and shuts of when it is closed.

Call for Further Details.







### SCREEN-O-MATIC

Screen-O-Matic is a highly efficient, lightweight, durable unit that will help keep your radiator cleaner in severe operating conditions. The body, fan and front cover are manufactured from high impact ABS plastic while the frame and screen are man ufactured from aluminum. There is nothing to rust and the only wearing parts are readily available standard sealed bearings. Available in a variety of sizes to fit most applications.



#### TURBO GUARD

Turbo-Guard eliminates turbocharger failure through oil starvation both at start-up and shutdown, which is the main cause of turbocharger failures. Turbo Guard is reliable, automatic and maintenance free, it will pay for itself over and over again - plus cut down frustrating delays and lost time - by eliminating the damage and expensive breakdowns caused by oil starvation.



Turbo-Guard is simply an add-on reservoir that prolongs the life of your turbo-charger by automatically correcting the lubrication lag that creates turbo problems. The Turbo-Guard provides immediate oil flow at engine shutdown and also at cold start, preventing bearings from running dry.

#### HYDRAULIC FILTRATION

Hydraulic Oil Cleaning System - 40LPM (Variable)

230v Gear Pump with a 10Micron primary filter element leading to a 3Micron secondary element. Primary Element: HW51110 Secondary Element: A120G03 Suction Hose: 5m Delivery Hose: 5m Warranty: 2 Year CE Approved.



#### ELECTRIC OIL PUMPS



Internal gear electric pumps for lubricants. 220 V, IP-55 protection motor with on/off switch. Cast iron pump body, sintered steel gears and by-pass valve.

Motor with mounting bracket, the pump can be mounted horizontally on a flat surface or vertically on a wall.

Some of our Pumps include an electronic pressure switch that automatically starts the pump once a delivery gun is opened and shuts of when it is closed.

90

Call for Further Details.

CARRIAGE

 Carriage charge within the UK (excl VAT) - Outside UK will be confirmed at time of order

 Orders up to £9.99
 Please add £2.00
 Orders £10.00 - £24.99
 Please add £3.75

 Orders £25.00 - 99.00
 Please add £6.00
 Orders £100.00+
 Please add £11.50

Please note: Due to the weight of Liquid Cooling Additives the carriage charge is  $\pounds 3.00$ . Bilt Hamber Deox-Gel is also charged at  $\pounds 3.00$ .

# AGRIEMACH REFUND POLICY

Goods may be returned within 7 days. Refunds will be processed excluding P&P charges. Agriemach reserves the right to levy a 15% re-stocking charge.

# **AGRIEMACH LTD**

Wayfarers, Old Domewood, Copthome, Crawley, West Sussex RH10 3HD Tel 01342 713743 Fax 01342 719181 E info@agriemach.com www.agriemach.com

CATALOGUE PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE

# NOTES

# FOLD OUT FOR ORDER FORM

Ordered by:	
Name Mr, Mrs, Ms	
Address	
Post Code	Contact Tel Number
Deliver to: (if different fr	om above)
Name Mr, Mrs, Ms	
Address	
Post Code	Contact Tel Number
Payment Method:	
Mastercard	Visa Delta Maestro Issue No
Postal Order or Chec	110
Card Number:	
Card Expiry Date	/ Start Date /
Credit card billing ac	dress: (if different from ordered by)
Name on credit card Mr, I	Mrs, Ms
Post Code	Signature
The Agriemach	All goods are covered by a 12 month faulty
Guarantee	workmanship/material guarantee at the discretion o

the manufacturer, after inspection of the goods.

# AGRIEMACH ORDER FORM

Please supply the following goods:

REF NO.	DESCRIPTION	UNIT COST	QUANTITY	TOTAL	
		CARRIAGE -	SEE CHART		
SUB-TOTAL					
VAT					
TOTAL					